

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** Adhesive nickel plating bath 216 H  
Haftnickelbad Nr 216 H
- **Article number:** 86950500
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Not approved for private consumers.
- **Application of the substance / the mixture** Galvanic bath
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Heimerle + Meule GmbH  
Dennigstrasse 16  
D-75179 Pforzheim

Telefon +49 (0) 7231 940-0  
Telefax +49 (0) 7231 940-2199  
www.heimerle-meule.com

- **Further information obtainable from:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment  
sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact -  
(Dangerous goods emergency number)  
+49 172 739 6970

- **1.4 Emergency telephone number:**

DEUTSCHLAND - GERMANY:

Vergiftungs-Informationen-Zentrale Freiburg, ++49 761 19240 (24 h)  
(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

ITALY:

Istituto Superiore di Sanità +3906499906140

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse 16662, (+342) 7914 794

LETTLAND - LATVIA:

Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 670 32600

LITAUEN - LIETUVOS RESPUBLIKA:

Apsinuodijimų informacijos biuras +370 (85) 2362052

GB

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 1)

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3      H331    Toxic if inhaled.



GHS08 health hazard

Resp. Sens. 1      H334    May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 2            H341    Suspected of causing genetic defects.

Carc. 1B           H350i   May cause cancer by inhalation.

Repr. 1B          H360D   May damage the unborn child.

STOT RE 1        H372    Causes damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1B      H314    Causes severe skin burns and eye damage.

Eye Dam. 1        H318    Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411    Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4        H302    Harmful if swallowed.

Skin Sens. 1        H317    May cause an allergic skin reaction.

STOT SE 3         H335    May cause respiratory irritation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 2)

· **Hazard pictograms**· **Signal word** *Danger*· **Hazard-determining components of labelling:**

*Nickel(II)-chloride-hexahydrate*  
*hydrogen chloride*

· **Hazard statements**

*H302 Harmful if swallowed.*  
*H331 Toxic if inhaled.*  
*H314 Causes severe skin burns and eye damage.*  
*H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.*  
*H317 May cause an allergic skin reaction.*  
*H341 Suspected of causing genetic defects.*  
*H350i May cause cancer by inhalation.*  
*H360D May damage the unborn child.*  
*H335 May cause respiratory irritation.*  
*H372 Causes damage to organs through prolonged or repeated exposure.*  
*H411 Toxic to aquatic life with long lasting effects.*

· **Precautionary statements**

*P272 Contaminated work clothing should not be allowed out of the workplace.*  
*P273 Avoid release to the environment.*  
*P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*  
*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*P310 Immediately call a POISON CENTER/doctor.*  
*P321 Specific treatment (see on this label).*  
*P362+P364 Take off contaminated clothing and wash it before reuse.*  
*P405 Store locked up.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Additional information:**

*Restricted to professional users.*

· **Labelling of packages where the contents do not exceed 125 ml**· **Hazard pictograms**· **Signal word** *Danger*· **Hazard-determining components of labelling:**

*Nickel(II)-chloride-hexahydrate*  
*hydrogen chloride*

· **Hazard statements**

*H331 Toxic if inhaled.*

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**







(Contd. of page 3)

- H314 Causes severe skin burns and eye damage.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H317 May cause an allergic skin reaction.  
 H341 Suspected of causing genetic defects.  
 H350i May cause cancer by inhalation.  
 H360D May damage the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
- P272 Contaminated work clothing should not be allowed out of the workplace.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P321 Specific treatment (see on this label).  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.  
 · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components / Information on ingredients:**

CAS: 7791-20-0 EINECS: 231-743-0 Index number: 028-011-00-6 Reg.nr.: 01-2119486973-20	Nickel(II)-chloride-hexahydrate; nickel chloride hexahydrate  Acute Tox. 3, H301; Acute Tox. 3, H331  Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350i; Repr. 1B, H360D; STOT RE 1, H372  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Skin Irrit. 2, H315; Skin Sens. 1, H317	≥10- <25%
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2 RTECS: MW 9620000 Reg.nr.: 01-2119484862-27	hydrogen chloride; hydrochloric acid  Skin Corr. 1B, H314; Eye Dam. 1, H318  STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	≥10- <25%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
 Personal protection for the First Aider.  
 Take affected persons out of danger area and lay down.  
 Involve doctor immediately after an accident or unwell

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 4)

- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Hazards** Danger of gastric perforation.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.



Wear self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Only handle and refill product in closed systems.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Use neutralising agent.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 5)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

The usual precautionary measures are to be adhered to when handling chemicals.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· **Information about fire - and explosion protection:** No special measures required.

### · 7.2 Conditions for safe storage, including any incompatibilities

#### · Storage:

· **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Observe official regulations on storing packagings .

Prevent any seepage into the ground.

Observe official regulations on storing packagings .

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store under lock and key and out of the reach of children.

· **Storage class:** 6.1 D

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 7647-01-0 hydrogen chloride**

WEL (Great Britain)

Short-term value: 8 mg/m<sup>3</sup>, 5 ppm

Long-term value: 2 mg/m<sup>3</sup>, 1 ppm

(gas and aerosol mists)

IOELV (European Union)

Short-term value: 15 mg/m<sup>3</sup>, 10 ppm

Long-term value: 8 mg/m<sup>3</sup>, 5 ppm

AGW (Germany)

Long-term value: 3 mg/m<sup>3</sup>, 2 ppm

2(I);DFG, EU, Y

· **Regulatory information**

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

AGW (Germany): TRGS 900

· **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 6)

*Immediately remove all soiled and contaminated clothing*

*Wash hands before breaks and at the end of work.*

*Store protective clothing separately.*

*Do not inhale gases / fumes / aerosols.*

*Avoid contact with the eyes.*

*Avoid contact with the eyes and skin.*

*According to EC Directive 89/686/EEC*

· **Respiratory protection:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

*Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.*

*according EN 14387*

*according to EN 143*

· **Recommended filter device for short term use:** Combination filter B-P3

· **Protection of hands:**



*Protective gloves*

*according to EN 374*

*To avoid skin problems reduce the wearing of gloves to the required minimum.*

*Only use chemical-protective gloves with CE-labelling of category III.*

*Sensibilisation by the components in the glove materials is possible.*

*Check the permeability prior to each renewed use of the glove.*

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

*The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.*

*For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).*

*Value for the permeation: Level  $\leq$  3*

· **Not suitable are gloves made of the following materials:** Leather gloves

· **Eye protection:**



*Tightly sealed goggles*

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 7)

according to EN 166

· **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Green
· <b>Odour:</b>	Product specific
· <b>Odour threshold:</b>	Not determined.

· **pH-value at 20°C (68°F):** <1

##### · Change in condition

· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Initial boiling point and boiling range:</b>	100°C (212°F)

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

##### · Explosion limits:

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20°C (68°F):** 1.18 g/cm<sup>3</sup> (9.85 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

##### · Solubility in / Miscibility with water:

Fully miscible.

· **Partition coefficient: n-octanol/water:** Not determined.

##### · Viscosity:

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

· **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

#### · 10.2 Chemical stability

##### · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

#### · 10.3 Possibility of hazardous reactions

Reacts with light alloys to form hydrogen.

Reacts with acids, alkalis and oxidising agents.

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 8)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Reaktionen with metall
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### · 11.1 Information on toxicological effects

##### · Acute toxicity

Harmful if swallowed.

Toxic if inhaled.

##### · LD/LC50 values relevant for classification:

###### ATE (Acute Toxicity Estimates)

Oral	LD50	500 mg/kg
Inhalative	LC50/4 h	2.5 mg/l

###### CAS: 7791-20-0 Nickel(II)-chloride-hexahydrate

Oral	LD50	100 mg/kg (ATE)
Inhalative	LC50/4 h	0.5 mg/l (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity**  
Suspected of causing genetic defects.
- **Carcinogenicity**  
May cause cancer by inhalation.
- **Reproductive toxicity**  
May damage the unborn child.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure**  
Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 9)

*Danger to drinking water if even extremely small quantities leak into the ground.*


*Also poisonous for fish and plankton in water bodies.*

*Toxic for aquatic organisms*

- **12.5 Results of PBT and vPvB assessment** Not applicable.
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

*Contact manufacturer for recycling information.*

- **Waste disposal key:**

*The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.*

- **European waste catalogue**

11 00 00	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01 00	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 98*	other wastes containing hazardous substances
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP7	Carcinogenic
HP8	Corrosive
HP10	Toxic for reproduction
HP11	Mutagenic
HP13	Sensitising
HP14	Ecotoxic

- **Uncleaned packaging:**

- **Recommendation:**

*Packaging which is uncleaned or soiled with product remains is to be treated like the product itself*

*Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish*

*Disposal must be made according to official regulations.*

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GB

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020




Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 10)

### SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN3264
· 14.2 UN proper shipping name · ADR  · IMDG  · IATA	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Nickel(II)-chloride-hexahydrate), ENVIRONMENTALLY HAZARDOUS CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Nickel(II)-chloride-hexahydrate), MARINE POLLUTANT CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Nickel(II)-chloride-hexahydrate)
· 14.3 Transport hazard class(es) · ADR, IMDG	
 	
· Class · Label	8 Corrosive substances. 8
· IATA	
	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:  · Marine pollutant:  · Special marking (ADR):	Product contains environmentally hazardous substances: Nickel(II)-chloride-hexahydrate Yes Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Acids B SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.

(Contd. on page 12)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 11)

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

E

· **IMDG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **IATA**

· **Remarks:**

24h emergency contact -

(Dangerous goods emergency number)

+49 172 739 6970

· **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,  
N.O.S. (HYDROCHLORIC ACID, NICKEL(II)-  
CHLORIDE - HEXAHYDRATE), 8, 11,  
ENVIRONMENTALLY HAZARDOUS

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· **TSCA (Toxic Substances Control Act)**

CAS: 7732-18-5	water, distilled, conductivity or of similar purity
----------------	---

CAS: 7647-01-0	hydrogen chloride
----------------	-------------------

· **GADSL - Global Automotive Declarable Substance List**

CAS: 7791-20-0	Nickel(II)-chloride-hexahydrate	D(FI)
----------------	---------------------------------	-------

· **Directive 2012/18/EU**

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 27

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 13)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 12)

- **National regulations:**
  - **Additional classification according to Decree on Hazardous Materials, Annex II:**  
Carcinogenic hazardous material group III (dangerous).
  - **Information about limitation of use:**  
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.  
Exceptions can be made by the authorities in certain cases.  
Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.  
Employment restrictions concerning women of child-bearing age must be observed.
  - **Technical instructions (air):**
- | Class | Share in % |
|-------|------------|
| II    | 10-<25     |
- **Waterhazard class:** .
  - **Other regulations, limitations and prohibitive regulations -**
  - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Reasons for revise**  
If necessary, this safety data sheet can be revised according to legal guidelines.

Our current version for your reference is available on our website  
[www.heimerle-meule.com](http://www.heimerle-meule.com)

- **Relevant phrases**  
H301 Toxic if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H341 Suspected of causing genetic defects.  
H350i May cause cancer by inhalation.  
H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

- **Department issuing SDS:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment

[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)

- **Contact:**  
Herr Thomas Knuth  
[Knuth@heimerle-meule.com](mailto:Knuth@heimerle-meule.com)  
[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)

(Contd. on page 14)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 11.11.2020

Version number 5

Revision: \_\_\_\_\_ 11.11.2020

**Trade name: Adhesive nickel plating bath 216 H**  
**Haftnickelbad Nr 216 H**

(Contd. of page 13)

· **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*  
*IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*  
*ICAO: International Civil Aviation Organisation*  
*ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)*  
*AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).*  
*TRGS: Technical rules for hazardous substances (German regulation)*  
*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Acute Tox. 3: Acute toxicity - oral – Category 3*  
*Acute Tox. 4: Acute toxicity - oral – Category 4*  
*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Resp. Sens. 1: Respiratory sensitisation – Category 1*  
*Skin Sens. 1: Skin sensitisation – Category 1*  
*Muta. 2: Germ cell mutagenicity – Category 2*  
*Carc. 1B: Carcinogenicity – Category 1B*  
*Repr. 1B: Reproductive toxicity – Category 1B*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
*STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1*  
*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*  
*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*  
*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*
- **\* Data compared to the previous version altered.**

GB