

Printing date: 06.06.2023

Version number 11 (replaces version 10)

Revision: 06.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz. · Article number: 86938811 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers. · Application of the substance / the mixture Electroplating auxiliary • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com Further information obtainable from: Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com IATA - 24h Emergency Contact - IATA - 24h Emergency Contact -(Dangerous goods emergency number) +49 172 739 6970 · 1.4 Emergency telephone number: **DEUTSCHLAND - GERMANY:** Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h) (Poisoning Information Center) GREAT BRITAIN: National Poisons Information Service +44 121 507 4123 Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111 IRELAND +353 1 809 2166 (7 Days 8 am -10 pm) Healthcare Professionals: +353 1 809 2566 ITALY: *Istituto* Superiore di Sanità (ISS) +3906499906140 Centro Antiveleni Bergamo: +39 800 883300 Firenze +39 055 794 7819 Milano: +39 055 794 7819 Roma +39 06 68593726 Roma +39 06 49978000 Roma +39 06 3954343 KROATIA - REPUBLIKA HRVATSKA: (+385) 01 2348 342 ESTLAND - ESTONIA: Tervisemeti Mürgistusteabekeskuse National (24/7): 16662 (+372) 7943 794 (Contd. on page 2)



Revision: 06.06.2023


*Printing date: 06.06.2023* 

Version number 11 (replaces version 10)

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 1)

<u>LETTLAND - LATVIA:</u> Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs, (24h) 112 (24h) +371 67042473 <u>LITAUEN - LIETUVOS RESPUBLIKA:</u> Poison Information Bureau (24/7), Tel.: +8 5 236 20 52 Apsinuodijimų informacijos biuras



*Eye Dam. 1* H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: potassium hydroxide
Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 3)

Version number 11 (replaces version 10)

Page 3/11

Revision: 06.06.2023

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 2)

· vPvB: Not applicable.

Printing date: 06.06.2023

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components / Information on ingredients:

CAS: 1310-58-3	potassium hydroxide; caustic potash	10–25%
EINECS: 215-181-3	Skin Corr. 1A, H314	
Index number: 019-002-00-8		
RTECS: TT 2102000	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ %	
	<i>Skin Corr.</i> 1 <i>B</i> ; <i>H</i> 314: 2 % ≤ C < 5 %	
	<i>Skin Irrit. 2; H315: 0.5 % ≤ C &lt; 2 %</i>	
	<i>Eye Irrit.</i> 2; <i>H</i> 319: 0.5 $\% \le C \le 2\%$	

### · Additional information:

Contains a sulfide emulsifier (no hazardous substance). For the wording of the listed hazard phrases refer to section 16. Contains a Polymer (no dangerous substance)

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• *After swallowing:* 

Call a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Hazards* Danger of gastric perforation.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents:
- Halone

• 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 4)

Water with full jet



Revision: 06.06.2023

Printing date: 06.06.2023

Version number 11 (replaces version 10)

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 3)

- Carbon monoxide (CO) • 5.3 Advice for firefighters
- *Protective equipment:*



Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. Only handle and refill product in closed systems. · 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up: Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Keep receptacles tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
he usual precautionary measures are to be adhered to when handling chemicals.
Prevent formation of aerosols.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.
Information about fire - and explosion protection: Keep respiratory protective device available.
7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings.
Observe official regulations on storing packagings.
Prevent any seepage into the ground.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions:

Keep container tightly sealed. Store under lock and key and out of the reach of children.

(Contd. on page 5)

GB

*Printing date: 06.06.2023* 

Version number 11 (replaces version 10)

Page 5/11

Revision: 06.06.2023

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 4)

• Storage class: 8 B

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-58-3 potassium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>

• Regulatory information WEL (Great Britain): EH40/2020

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387

according to EN 143

• Recommended filter device for short term use: Filter Pl

· Hand protection



Protective gloves

according to EN 374 To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. Sensibilisation by the components in the glove materials is possible. Check the permeability prior to each anewed use of the glove. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended. • Material of gloves

*Material of gloves* 

Chloroprene rubber, CR Recommended thickness of the material:  $\geq 0.65$  mm

(Contd. on page 6)

GB



Revision: 06.06.2023

Printing date: 06.06.2023

Version number 11 (replaces version 10)

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 5)

- Nitrile rubber, NBR Recommended thickness of the material:  $\geq 0.65 \text{ mm}$
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

*Value for the permeation:*  $Level \leq 3$ 

• Not suitable are gloves made of the following materials: Leather gloves Strong material gloves

· Eye/face protection



Tightly sealed goggles

according to EN 166

· Body protection: Protective work clothing

She if of the state with chemical properties	SECTION 9: Physi	cal and ch	emical prop	erties
--	------------------	------------	-------------	--------

9.1 Information on basic physical and chemical p	roperties
General Information	
· Physical state	Fluid
· Colour:	Black
· Odour:	Rotten
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
• Boiling point or initial boiling point and boiling	
range	100°C (212°F)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
• Decomposition temperature:	Not determined.
• pH at 20°C (68°F)	14
· Viscosity:	
· Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
• Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20°C (68°F):	23 hPa (17.3 mm Hg)
Density and/or relative density	
· Density at 20°C (68°F):	1.17 g/cm <sup>3</sup> (9.76 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
	(Contd. on page 7)

Page 7/11
Page 7/11
Page 7/11
Page 7/11
Page 7/11

Printing date: 06.06.2023

Version number 11 (replaces version 10)

Revision: 06.06.2023

### Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of heal	th and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard of	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Reacts with strong acids and oxidising agents.
- Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products: Irritant gases/vapours

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 2,281 mg/kg (rat)

### CAS: 1310-58-3 potassium hydroxide

*Oral LD50 365 mg/kg (rat)* 

(Contd. on page 8)

GB

*Printing date: 06.06.2023* 

Version number 11 (replaces version 10)

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 7)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**


#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

 $\cdot$  14.1 UN number or ID number

· ADR, IMDG, IATA

UN1814

· 14.2 UN proper shipping name · ADR

UN1814 POTASSIUM HYDROXIDE SOLUTION



GB

Page 8/11

Heimerle+Meule

Revision: 06.06.2023



Revision: 06.06.2023

Printing date: 06.06.2023

Version number 11 (replaces version 10)

### Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

	(Contd. of page		
IMDG, IATA	POTASSIUM HYDROXIDE SOLUTION		
14.3 Transport hazard class(es)			
ADR, IMDG, IATA			
$\wedge$			
8			
$\mathbf{\nabla}$			
Class	8 Corrosive substances.		
Label	8		
14.4 Packing group			
ADR, IMDG, IATA	II		
14.5 Environmental hazards:			
Marine pollutant:	No		
14.6 Special precautions for user	Warning: Corrosive substances.		
Hazard identification number (Kemler code):	80		
EMS Number:	F-A,S-B		
Segregation groups	(SGG18) Alkalis		
Stowage Category			
Segregation Code	SG35 Stow "separated from" SGG1-acids		
.7 Maritime transport in bulk according to IMO			
instruments	Not applicable.		
Transport/Additional information:			
ADR			
Limited quantities (LQ)	1L		
Excepted quantities (EQ)	Code: E2		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
Transport category	2		
IMDG			
Limited quantities (LQ)			
Excepted quantities (EQ)	Code: E2		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
Remarks:	o //		
	24h emergency contact -		
	(Dangerous goods emergency number)		
	+49 172 739 6970		
UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II		

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article (Contd. on page 10)

GB

Version number 11 (replaces version 10)



Revision: 06.06.2023

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

16(1) of Directive 89/391/EEC)

(Contd. of page 9)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

GADSL - Global Automotive Declarable Substance List

None of the ingredients is listed.

· Directive 2012/18/EU

Printing date: 06.06.2023

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Waterhazard class: .

· Other regulations, limitations and prohibitive regulations -

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

*Our current version for your reference is available on our website www.heimerle-meule.com* 

#### · Relevant phrases

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.

• Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

### · Contact:

Herr Thomas Knuth thomas.knuth@heimerle-meule.com sds@heimerle-meule.com

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) AwSV: Ordinance on facilities for handling water-polluting substances (German regulation). TRGS: Technical rules for hazardous substances (German regulation) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent (Contd. on page 11)



Revision: 06.06.2023

Printing date: 06.06.2023

Version number 11 (replaces version 10)

Trade name: Brightener A SCANDIA 360, 10-times conc. Glanzzusatz A SCANDIA 360,10-fach Konz.

(Contd. of page 10)

GB

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 • \* Data compared to the previous version altered.