

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Colour solution FG 200, white

Farblösung FG 200, weiss

· **Article number:** 86938350

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Not approved for private consumers.

· **Application of the substance / the mixture**

Electroplating auxiliary

Galvanic bath

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Heimerle + Meule GmbH
Dennigstrasse 16
D-75179 Pforzheim

Telefon +49 (0) 7231 940-0
Telefax +49 (0) 7231 940-2199

www.heimerle-meule.com

· **Further information obtainable from:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt
sds@heimerle-meule.com

IATA - 24h Emergency Contact -
(Gefahrgut-Notrufnummer)
+49 172 739 6970

· **1.4 Emergency telephone number:**

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 1 H330 Fatal if inhaled.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 1)



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS06



GHS09

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Potassium nickel cyanide

· **Hazard statements**

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH032 Contact with acids liberates very toxic gas.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:** *Mixture of substances listed below with nonhazardous additions.*

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018




Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 2)

· Dangerous components / Information on ingredients:

CAS: 14220-17-8 EINECS: 238-082-7 Index number: 006-007-00-5	Potassium nickel cyanide  Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 1, H330  Aquatic Chronic 1, H410  Skin Sens. 1, H317	10-<25%
--	---	---------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Personal protection for the First Aider.
Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**
Call a doctor immediately.
Rinse out mouth and then drink plenty of water.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Cyanides poisoning
Cyanosis
- **Information for doctor:** Cyanides poisoning
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Hydrogen cyanide (HCN)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Mount respiratory protective device.



Wear self-contained respiratory protective device.

- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

GB

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 3)

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· **6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

The usual precautionary measures are to be adhered to when handling chemicals.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Observe official regulations on storing packagings .

Prevent any seepage into the ground.

Observe official regulations on storing packagings .

· **Information about storage in one common storage facility:**

Store away from flammable substances.

Do not store together with acids.

Store away from foodstuffs.

· **Further information about storage conditions:**

Keep container tightly sealed.



Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

· **Storage class:** 6.1 B

· **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 14220-17-8 Potassium nickel cyanide

WEL (Great Britain) Long-term value: 0.1 mg/m³

as Ni; Sk; Carc; Sen

MAK (Germany)

einatembare Fraktion; vgl. Abschn. XII

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387

according to EN 143

· **Recommended filter device for short term use:** Combination filter A-P3

· **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

· **Material of gloves**

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

Value for the permeation: Level ≤ 3

· **Not suitable are gloves made of the following materials: Leather gloves**

· **Eye protection:**



Tightly sealed goggles

according to EN 166

· **Body protection: Protective work clothing**

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Colour:	Dark red
· Odour:	Like bitter almonds
· Odour threshold:	Not determined.

· **pH-value at 20°C (68°F):** 10

· **Change in condition**

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	100°C (212°F)

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20°C (68°F):** 1.11 g/cm³ (9.26 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 6)

· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:** Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Fatal if swallowed, in contact with skin or if inhaled.

· **LD/LC50 values relevant for classification:**

CAS: 14220-17-8 Potassium nickel cyanide

Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4 h	0.05 mg/l (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016


Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 7)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

- **Waste disposal key:**
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- **European waste catalogue**

11 00 00	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01 00	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 98*	other wastes containing hazardous substances
HP 6	Acute Toxicity
HP 12	Release of an acute toxic gas
HP 13	Sensitising
HP 14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
Packaging which is uncleaned or soiled with product remains is to be treated like the product itself
Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA**

UN1935

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 8)

· **14.2 UN proper shipping name**
· **ADR** *UN1935 CYANIDE SOLUTION, N.O.S. (Potassium nickel cyanide), ENVIRONMENTALLY HAZARDOUS*
· **IMDG, IATA** *CYANIDE SOLUTION, N.O.S. (Potassium nickel cyanide)*

· **14.3 Transport hazard class(es)**· **ADR**

· **Class** *6.1 Toxic substances.*
· **Label** *6.1*

· **IMDG, IATA**

· **Class** *6.1 Toxic substances.*
· **Label** *6.1*

· **14.4 Packing group**· **ADR, IMDG, IATA** *II*· **14.5 Environmental hazards:**

· **Marine pollutant:** *No*
· **Special marking (ADR):** *Symbol (fish and tree)*

· **14.6 Special precautions for user**

· **Danger code (Kemler):** *60*
· **EMS Number:** *6.1-02*
· **Segregation groups** *Cyanides*
· **Stowage Category** *A*
· **Stowage Code** *SW2 Clear of living quarters.*
· **Segregation Code** *SG35 Stow "separated from" acids.*

· **14.7 Transport in bulk according to Annex II of**
Marpol and the IBC Code

Not applicable.· **Transport/Additional information:**

· **ADR**
· **Limited quantities (LQ)** *100 ml*
· **Excepted quantities (EQ)** *Code: E4*
Maximum net quantity per inner packaging: 1 ml
Maximum net quantity per outer packaging: 500 ml
· **Transport category** *2*
· **Tunnel restriction code** *D/E*

· **IMDG**· **Limited quantities (LQ)** *100 ml*

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 9)

· Excepted quantities (EQ)	<i>Code: E4</i> <i>Maximum net quantity per inner packaging: 1 ml</i> <i>Maximum net quantity per outer packaging: 500 ml</i>
· UN "Model Regulation":	<i>UN 1935 CYANIDE SOLUTION, N.O.S. (POTASSIUM NICKEL CYANIDE), 6.1, II, ENVIRONMENTALLY HAZARDOUS</i>

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

- *Directive 2012/18/EU*
- *Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t*
- *Qualifying quantity (tonnes) for the application of upper-tier requirements 20 t*
- *REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 27*
- **National regulations:**
- *Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.*
- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Reasons for revise**
If necessary, this safety data sheet can revised according to legal guidelines.

*Our current version for your reference is available on our website
www.heimerle-meule.com*

- **Date from last issue :** *Version 1*

- **Relevant phrases**
H300 Fatal if swallowed.
H310 Fatal in contact with skin.
H317 May cause an allergic skin reaction.
H330 Fatal if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

- **Department issuing SDS:** *Department chemistry and environment*

- **Contact:**
Herr Thomas Knuth
Knuth@heimerle-meule.com
sds@heimerle-meule.com

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 06.03.2018

Version number 2

Revision: _____ 27.07.2016

Trade name: Colour solution FG 200, white
Farblösung FG 200, weiss

(Contd. of page 10)

*ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 2: Acute toxicity – Category 2**Acute Tox. 1: Acute toxicity – Category 1**Skin Sens. 1: Skin sensitisation – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

· *** Data compared to the previous version altered.**

GB