

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** Gold plating bath GP 204, 8 g Au/l  
Goldplattierbad GP 204, 8 g Au/l

· **Article number:**

86902700 = 8 g Au/l

81020418 = 8 g Au/l, 1 l

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Not approved for private consumers.

· **Application of the substance / the mixture** Galvanic bath

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Heimerle + Meule GmbH  
Dennigstrasse 16  
D-75179 Pforzheim

Telefon +49 (0) 7231 940-0  
Telefax +49 (0) 7231 940-2199  
www.heimerle-meule.com

· **Further information obtainable from:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment  
sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact -  
(Dangerous goods emergency number)  
+49 172 739 6970

· **1.4 Emergency telephone number:**

DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)  
(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

ITALY:

Istituto Superiore di Sanità +3906499906140

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse 16662, (+342) 7914 794

LETTLAND - LATVIA:

Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 670 32600

LITAUEN - LIETUVOS RESPUBLIKA:

Apsinuodijimų informacijos biuras +370 (85) 2362052

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 1)

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3      H331 Toxic if inhaled.



GHS08 health hazard

Carc. 1B      H350i May cause cancer by inhalation.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Eye Irrit. 2      H319 Causes serious eye irritation.

Skin Sens. 1      H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008  
The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS06



GHS08



GHS09

- Signal word *Danger*
- Hazard-determining components of labelling:  
*Potassium dicyanoaurate*  
*Cobalt acetate cristaline 23/24 % Co*
- Hazard statements  
*H331 Toxic if inhaled.*  
*H319 Causes serious eye irritation.*  
*H317 May cause an allergic skin reaction.*  
*H350i May cause cancer by inhalation.*  
*H411 Toxic to aquatic life with long lasting effects.*

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 2)

· **Precautionary statements**

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH032 Contact with acids liberates very toxic gas.  
Restricted to professional users.

· **Labelling of packages where the contents do not exceed 125 ml**

· **Hazard pictograms**



· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Potassium dicyanoaurate  
Cobalt acetate cristaline 23/24 % Co

· **Hazard statements**

H331 Toxic if inhaled.  
H317 May cause an allergic skin reaction.  
H350i May cause cancer by inhalation.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.  
· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components / Information on ingredients:**

CAS: 77-92-9 EINECS: 201-069-1 RTECS: GE 7350000	citric acid; 1,2,3-Propanetricarboxylic acid, 2-hydroxy-; 2-Hydroxy-1,2,3-propanetricarboxylic acid; Citronensäure ⚠ Eye Irrit. 2, H319	1-<2.5%
CAS: 13967-50-5 EINECS: 237-748-4 Reg.nr.: 01-2120130777-52	Potassium dicyanoaurate ⚠ Acute Tox. 2, H300; Acute Tox. 2, H330 ⚠ Met. Corr.1, H290; Eye Dam. 1, H318 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	1-<1.5%

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 3)

CAS: 6147-53-1 EINECS: 200-755-8 Index number: 027-006-00-6	Cobalt acetate cristaline 23/24 % Co; cobalt di(acetate); cobalt acetate; cobalt(II) acetate tetrahydrate ⚠ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350i; Repr. 1B, H360F ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) ⚠ Skin Sens. 1, H317 Specific concentration limit: Carc. 1B; H350: C ≥ 0.01 %	0.1–0.25%
-------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------

· **SVHC**

CAS: 6147-53-1 | Cobalt acetate cristaline 23/24 % Co

· **Additional information:**

The potassium goldcyanide -  $K[Au(CN)_2]$  -, which is used at the preparation, has a strong complexity and is also very strong pH- buffert.

A release of the cyanide containing ( a formation of very poisoning hydrocyanic acid ) is only possible by addition of a big quantity of concentrated acids.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

· **4.2 Most important symptoms and effects, both acute and delayed**

Cyanides poisoning

Cyanosis

· **Information for doctor:** Cyanides poisoning

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 4)

- For safety reasons unsuitable extinguishing agents:



Water

Water with full jet

- 5.2 **Special hazards arising from the substance or mixture** In case of fire, the following can be released:
- 5.3 **Advice for firefighters**
- **Protective equipment:**  
Wear fully protective suit.  
Mount respiratory protective device.



Wear self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Only handle and refill product in closed systems.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 5)

- Prevent formation of aerosols.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
  - **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage:**
  - **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings .  
Observe official regulations on storing packagings .  
Prevent any seepage into the ground.
  - 
  - **Information about storage in one common storage facility:**  
Store away from flammable substances.
  - 
  - **Do not store together with acids.**  
Store away from foodstuffs.
  - **Further information about storage conditions:** Keep container tightly sealed.
  - **Storage class:** 6.1 D
  - **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 13967-50-5 Potassium dicyanoaurate**

WEL (Great Britain)	Long-term value: 5 mg/m <sup>3</sup> as CN; Sk
MAK (Germany)	Long-term value: 2E mg/m <sup>3</sup> als CN

- **Regulatory information**  
WEL (Great Britain): EH40/2020  
MAK (Germany): MAK- und BAT-Liste
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.  
According to EC Directive 89/686/EEC
- **Respiratory protection:**  
Not necessary if room is well-ventilated.  
Use suitable respiratory protective device when high concentrations are present.  
Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 6)

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

*Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.*

*according to EN 14387*

*according to EN 143*

· **Recommended filter device for short term use:** *Combination filter B-P2*

· **Protection of hands:**

*Check protective gloves prior to each use for their proper condition.*

*Acid resistant gloves*



Protective gloves

*according to EN 374*

*To avoid skin problems reduce the wearing of gloves to the required minimum.*

*Only use chemical-protective gloves with CE-labelling of category III.*

*Sensibilisation by the components in the glove materials is possible.*

*Check the permeability prior to each renewed use of the glove.*

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.*

· **Material of gloves**

*Chloroprene rubber, CR*

*Recommended thickness of the material:  $\geq 0.65$  mm*

*Nitrile rubber, NBR*

*Recommended thickness of the material:  $\geq 0.65$  mm*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

*The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.*

*For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).*

*Value for the permeation: Level  $\leq 3$*

· **Not suitable are gloves made of the following materials:**

*Leather gloves*

*Strong material gloves*

· **Eye protection:**



Tightly sealed goggles

*according to EN 166*

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 7)

· **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

**Form:** Fluid  
**Colour:** Red-brown

· **Odour:** Fruit-like

· **Odour threshold:** Not determined.

· **pH-value at 20°C (68°F):** 4

##### · Change in condition

**Melting point/freezing point:** Undetermined.

**Initial boiling point and boiling range:** 100°C (212°F)

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

##### · Explosion limits:

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20°C (68°F):** 1.08 g/cm<sup>3</sup> (9.01 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

##### · Solubility in / Miscibility with water:

Fully miscible.

· **Partition coefficient: n-octanol/water:** Not determined.

##### · Viscosity:

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions**

Contact with acids releases very toxic gases

Reacts with acids, alkalis and oxidising agents.

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** Acids

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 8)

· **10.6 Hazardous decomposition products:** Hydrogen cyanide (prussic acid)

### SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**

· **Acute toxicity**

Toxic if inhaled.

· **LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Oral	LD50	2,466 mg/kg (Rat)
Inhalative	LC50/4 h	4.25 mg/l

**CAS: 77-92-9 citric acid**

Oral	LD50	6,730 mg/kg (rat)
------	------	-------------------

**CAS: 13967-50-5 Potassium dicyanoaurate**

Oral	LD50	29 mg/kg (Rat)
Inhalative	LC50/4 h	0.05 mg/l (ATE)

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity**

May cause cancer by inhalation.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

-

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **12.5 Results of PBT and vPvB assessment** Not applicable.

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020


**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 9)

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

- **Waste disposal key:**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- **European waste catalogue**

There are no uniform EC regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste

11 00 00	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01 00	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 98*	other wastes containing hazardous substances
HP6	Acute Toxicity
HP7	Carcinogenic
HP12	Release of an acute toxic gas
HP14	Ecotoxic

- **Uncleaned packaging:**

- **Recommendation:**

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself

Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, IMDG, IATA**

UN1935

- **14.2 UN proper shipping name**

- **ADR**

UN1935 CYANIDE SOLUTION, N.O.S. (Potassium dicyanoaurate), ENVIRONMENTALLY HAZARDOUS CYANIDE SOLUTION, N.O.S. (Potassium dicyanoaurate, Cobalt acetate cristaline 23/24 % Co), MARINE POLLUTANT

- **IMDG**

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31




Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 10)

· <b>IATA</b>	<i>CYANIDE SOLUTION, N.O.S. (Potassium dicyanoaurate)</i>
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR, IMDG</b>	
 	
· <b>Class</b>	6.1 Toxic substances.
· <b>Label</b>	6.1
· <b>IATA</b>	
	
· <b>Class</b>	6.1 Toxic substances.
· <b>Label</b>	6.1
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b>	<i>Product contains environmentally hazardous substances:</i> <i>Potassium dicyanoaurate</i>
· <b>Marine pollutant:</b>	Yes Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	Warning: Toxic substances.
· <b>Hazard identification number (Kemler code):</b>	60
· <b>EMS Number:</b>	F-A,S-A
· <b>Segregation groups</b>	Cyanides
· <b>Stowage Category</b>	A
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>Segregation Code</b>	SG35 Stow "separated from" SGG1-acids
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 12)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 11)

· **IATA**· **Remarks:**

24h emergency contact -  
(Dangerous goods emergency number)

+49 172 739 6970

· **UN "Model Regulation":**

UN 1935 CYANIDE SOLUTION, N.O.S. (POTASSIUM  
DICYANOAUATE), 6.1, III, ENVIRONMENTALLY  
HAZARDOUS

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· **TSCA (Toxic Substances Control Act)**

CAS: 7732-18-5	water, distilled, conductivity or of similar purity
----------------	-----------------------------------------------------

CAS: 77-92-9	citric acid
--------------	-------------

CAS: 13967-50-5	Potassium dicyanoaurate
-----------------	-------------------------

· **GADSL - Global Automotive Declarable Substance List**

CAS: 6147-53-1	Cobalt acetate cristaline 23/24 % Co	D(FI)
----------------	--------------------------------------	-------

· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **Seveso category E2** Hazardous to the Aquatic Environment· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**· **Additional classification according to Decree on Hazardous Materials, Annex II:**  
Carcinogenic hazardous material group III (dangerous).· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning women of child-bearing age must be observed.

· **Waterhazard class:** .· **Other regulations, limitations and prohibitive regulations -**

(Contd. on page 13)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 12)

· **Substances of very high concern (SVHC) according to REACH, Article 57**

CAS: 6147-53-1	Cobalt acetate cristaline 23/24 % Co
----------------	--------------------------------------

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Reasons for revise**

*If necessary, this safety data sheet can be revised according to legal guidelines.*

*Our current version for your reference is available on our website  
[www.heimerle-meule.com](http://www.heimerle-meule.com)*

· **Relevant phrases**

H290 *May be corrosive to metals.*

H300 *Fatal if swallowed.*

H315 *Causes skin irritation.*

H317 *May cause an allergic skin reaction.*

H318 *Causes serious eye damage.*

H319 *Causes serious eye irritation.*

H330 *Fatal if inhaled.*

H334 *May cause allergy or asthma symptoms or breathing difficulties if inhaled.*

H341 *Suspected of causing genetic defects.*

H350i *May cause cancer by inhalation.*

H360F *May damage fertility.*

H400 *Very toxic to aquatic life.*

H410 *Very toxic to aquatic life with long lasting effects.*

· **Department issuing SDS:**

*Abteilung BASU - Bau/Arbeitssicherheit/Umwelt*

*Department BASU - Construction / Occupational Safety / Environment*

*[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)*

· **Contact:**

*Herr Thomas Knuth*

*[Knuth@heimerle-meule.com](mailto:Knuth@heimerle-meule.com)*

*[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)*

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).*

*TRGS: Technical rules for hazardous substances (German regulation)*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*SVHC: Substances of Very High Concern*

*vPvB: very Persistent and very Bioaccumulative*

(Contd. on page 14)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.11.2020

Version number 14

Revision: \_\_\_\_\_ 12.11.2020

**Trade name: Gold plating bath GP 204, 8 g Au/l**  
**Goldplattierbad GP 204, 8 g Au/l**

(Contd. of page 13)

*Met. Corr. 1: Corrosive to metals – Category 1*  
*Acute Tox. 2: Acute toxicity - oral – Category 2*  
*Acute Tox. 3: Acute toxicity - inhalation – Category 3*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
*Resp. Sens. 1: Respiratory sensitisation – Category 1*  
*Skin Sens. 1: Skin sensitisation – Category 1*  
*Muta. 2: Germ cell mutagenicity – Category 2*  
*Carc. 1B: Carcinogenicity – Category 1B*  
*Repr. 1B: Reproductive toxicity – Category 1B*  
*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*  
*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*  
*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*  
 · **\* Data compared to the previous version altered.**

-GB-