

Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l
- · Article number:

81012715

81020424 = 1 Liter

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.
- · Application of the substance / the mixture Galvanic bath
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim

Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com

Further information obtainable from:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970

· 1.4 Emergency telephone number:

#### DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

(Poisoning Information Center)

#### GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111 IRELAND

+353 1 809 2166 (7 Days 8 am -10 pm)

Healthcare Professionals: +353 1 809 2566

#### ITALY:

Istituto Superiore di Sanità (ISS) +3906499906140

Centro Antiveleni

Bergamo: +39 800 883300 Firenze +39 055 794 7819 Milano: +39 055 794 7819 Roma +39 06 68593726

Roma +39 06 49978000 Roma +39 06 3954343

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLÁND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse

National (24/7): 16662 (+372) 7943 794

(Contd. on page 2)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 1)

LETTLAND - LATVIA:

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,

(24h) 112

(24h) +371 67042473

LITAUEN - LIETUVOS RESPUBLIKA:

Poison Information Bureau (24/7), Tel.: +8 5 236 20 52

Apsinuodijimų informacijos biuras

.

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07

GH20

- · Signal word Warning
- · Hazard-determining components of labelling:

Potassium dicyanoaurate

· Hazard statements

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

*P273* Avoid release to the environment.

*P280* Wear protective gloves / eye protection / face protection.

(Contd. on page 3)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 2)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components / Info                   | · Dangerous components / Information on ingredients:  |           |
|---|---|-----------|
| EINECS: 231-847-6                               | Copper(II) sulphate; copper sulphate; copper sulfate  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319                                     | ≥1-<2.5%  |
| EINECS: 237-748-4<br>Reg.nr.: 01-2120130777-52  | Potassium dicyanoaurate  Acute Tox. 2, H300; Acute Tox. 2, H330  Met. Corr.1, H290; Eye Dam. 1, H318  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Skin Irrit. 2, H315; Skin Sens. 1, H317         | 0.733%    |
| EINECS: 215-647-6<br>Index number: 007-001-01-2 | ammonia; ammonia solution%; ammonia, aqueous solution; Ammonium hydroxide $\searrow$ Skin Corr. 1B, H314 $\searrow$ Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: $C \geq 5$ % | 0.25-0.5% |
| EINECS: 203-809-9                               | pyridine; Azine  Flam. Liq. 2, H225 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332  | <0.1%     |

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 4)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 3)

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

· 4.2 Most important symptoms and effects, both acute and delayed

Cyanides poisoning

Cyanosis

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5:** Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of very toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Mount respiratory protective device.



Wear self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Only handle and refill product in closed systems.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 4)

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

he usual precautionary measures are to be adhered to when handling chemicals.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings.

Observe official regulations on storing packagings.

Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from foodstuffs.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 6.1 D
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

| Ingredients with limit values that require monitoring at the workplace: |   |  |  |
|---|---|--|--|
| CAS: 13967-50-5 Potas   | CAS: 13967-50-5 Potassium dicyanoaurate           |  |  |
| WEL (Great Britain)   | Long-term value: 5 mg/m³ as CN; Sk                |  |  |
| MAK (Germany)   | Long-term value: 2E mg/m³ als CN                  |  |  |
| CAS: 1336-21-6 ammor  | CAS: 1336-21-6 ammonia                            |  |  |
| AGW (Germany)   | Long-term value: 14 mg/m³, 20 ppm 2(I);DFG, EU, Y |  |  |
| CAS: 110-86-1 pyridine  |   |  |  |
| IOELV (European Unio  | n) Long-term value: 15 mg/m³, 5 ppm               |  |  |

#### · Regulatory information

WEL (Great Britain): EH40/2020 MAK (Germany): MAK- und BAT-Liste

AGW (Germany): TRGS 900

IOELV (European Union): (EU) 2019/1831

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 6)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 5)

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387 according to EN 143

- · Recommended filter device for short term use: Combination filter B-P2
- · Hand protection



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.38$  mm

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

*Value for the permeation: Level*  $\leq 3$ 

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

(Contd. on page 7)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 6)

· Eye/face protection



Tightly sealed goggles

according to EN 166

· Body protection: Protective work clothing

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
blue - grey
Characteristic
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 100°C (212°F)
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

· pH at 20°C (68°F)

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

water: Fully miscible.
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Not determined.

· Density and/or relative density

Density at 20°C (68°F):
 Relative density
 Vapour density
 Not determined.
 Not determined.

9.2 Other information

· Appearance:

· Form: Fluid
· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void

(Contd. on page 8)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

|   |      | (Contd. of page 7) |
|---|------|--------------------|
| · Gases under pressure                      | Void |                    |
| · Flammable liquids                         | Void |                    |
| · Flammable solids                          | Void |                    |
| Self-reactive substances and mixtures       | Void |                    |
| · Pyrophoric liquids                        | Void |                    |
| · Pyrophoric solids                         | Void |                    |
| · Self-heating substances and mixtures      | Void |                    |
| · Substances and mixtures, which emit flamm | able |                    |
| gases in contact with water                 | Void |                    |
| · Oxidising liquids                         | Void |                    |
| · Oxidising solids                          | Void |                    |
| · Organic peroxides                         | Void |                    |
| · Corrosive to metals                       | Void |                    |
| · Desensitised explosives                   | Void |                    |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Contact with acids releases very toxic gases

Reacts with acids, alkalis and oxidising agents.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products: Hydrogen cyanide (prussic acid)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

| · LD/LC50 1 | · LD/LC50 values relevant for classification:               |                         |  |
|-------------|---|-------------------------|--|
| ATE (Acu    | ATE (Acute Toxicity Estimates)                              |                         |  |
| Oral        | LD50  | 3,653 mg/kg             |  |
| Inhalative  | LC50/4 h  | 6.82  mg/l              |  |
| CAS: 7758   | CAS: 7758-98-7 Copper(II) sulphate                          |                         |  |
| Oral        | LD50  | 500 mg/kg (ATE)         |  |
| CAS: 1396   | CAS: 13967-50-5 Potassium dicyanoaurate                     |                         |  |
| Oral        | LD50  | 29 mg/kg (Rat)          |  |
| Inhalative  | LC50/4 h  | 0.05  mg/l /(ATE) (rat) |  |
| CAS: 110-   | CAS: 110-86-1 pyridine                                      |                         |  |
| Oral        | LD50  | 500 mg/kg (ATE)         |  |
| Dermal      | LD50  | 1,100 mg/kg (ATE)       |  |
| Inhalative  | LC50/4 h  | 11 mg/l (ATE)           |  |
| _ ·         | Conince and demand limitation Causes sovieus and invitation |                         |  |

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.

(Contd. on page 9)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 8)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation





Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

GB



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 9)

| 14.1 UN number or ID number<br>ADR, IMDG, IATA  | UN3287  |
|---|---|
| 14.2 UN proper shipping name<br>ADR   | UN3287 TOXIC LIQUID, INORGANIC, N.O<br>(Potassium dicyanoaurate, Copper(II) sulphat<br>ENVIRONMENTALLY HAZARDOUS      |
| IMDG  | TOXIC LIQUID, INORGANIC, N.O.S. (Potassi dicyanoaurate, Copper(II) sulphate), MARI. POLLUTANT                         |
| IATA  | TOXIC LIQUID, INORGANIC, N.O.S. (Potassi dicyanoaurate, Copper(II) sulphate)  |
| 14.3 Transport hazard class(es)   |   |
| ADR, IMDG   |   |
|   |   |
| Class<br>Label  | 6.1 Toxic substances.<br>6.1  |
| Lauei<br>IATA   | 0.1   |
| Class   | 6.1 Toxic substances.   |
| Label   | 6.1   |
| 14.4 Packing group<br>ADR, IMDG, IATA   | III   |
| 14.5 Environmental hazards:   |   |
| <del>=</del>  |   |
| <del>=</del>  | Yes Symbol (fish and tree)  |
| Marine pollutant:   | Yes<br>Symbol (fish and tree)<br>Symbol (fish and tree)   |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user  | Symbol (fish and tree)  |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user Hazard identification number (Kemler code):  | Symbol (fish and tree) Symbol (fish and tree) Warning: Toxic substances. 60   |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user  Hazard identification number (Kemler code):  EMS Number:  | Symbol (fish and tree) Symbol (fish and tree) Warning: Toxic substances. 60 F-A,S-A                                   |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:  14.7 Maritime transport in bulk according to IM   | Symbol (fish and tree) Symbol (fish and tree) Warning: Toxic substances. 60 F-A,S-A                                   |
| Marine pollutant: Special marking (ADR):  | Symbol (fish and tree) Symbol (fish and tree) Warning: Toxic substances. 60 F-A,S-A                                   |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user  Hazard identification number (Kemler code):  EMS Number:  14.7 Maritime transport in bulk according to IM instruments   | Symbol (fish and tree) Symbol (fish and tree)  Warning: Toxic substances. 60 F-A,S-A  Not applicable.                 |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:  14.7 Maritime transport in bulk according to IM instruments  Transport/Additional information:  ADR Limited quantities (LQ) | Symbol (fish and tree) Symbol (fish and tree)  Warning: Toxic substances. 60 F-A,S-A  Not applicable.  5L             |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:  14.7 Maritime transport in bulk according to IM instruments  Transport/Additional information: ADR                          | Symbol (fish and tree) Symbol (fish and tree)  Warning: Toxic substances. 60 F-A,S-A  10 Not applicable.  5L Code: E1 |
| Marine pollutant:  Special marking (ADR):  14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:  14.7 Maritime transport in bulk according to IM instruments  Transport/Additional information:  ADR Limited quantities (LQ) | Symbol (fish and tree) Symbol (fish and tree)  Warning: Toxic substances. 60 F-A,S-A  Not applicable.  5L             |



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

|                            | (Contd. of page 10)  |
|----------------------------|--|
| · IMDG                     |  |
| Limited quantities (LQ)    | 5L   |
| · Excepted quantities (EQ) | Code: E1  Maximum net quantity per inner packaging: 30 ml  |
|                            | Maximum net quantity per outer packaging: 1000 ml  |
| · IATA<br>· Remarks:       |  |
|                            | 24h emergency contact -  |
|                            | (Dangerous goods emergency number)   |
|                            | +49 172 739 6970   |
| · UN "Model Regulation":   | UN 3287 TOXIC LIQUID, INORGANIC, N.O.S.<br>(POTASSIUM DICYANOAURATE, COPPER(II)<br>SULPHATE), 6.1, III, ENVIRONMENTALLY<br>HAZARDOUS |

## SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

|   | · GADSL - Global Automotive Declarable Substance List |                     |         |
|---|---|---------------------|---------|
| ĺ | CAS: 7758-98-7  | Copper(II) sulphate | D/P(LR) |
|   | CAS: 10102-18-8                                       | sodium selenite     | D(FI)   |

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Technical instructions (air):

| Class | Share in % |
|-------|------------|
| III   | 1.1        |

- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)



Printing date: 21.12.2022 Version number 12 (replaces version 11) Revision: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 11)

#### · Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

## · Contact:

Herr Thomas Knuth

thomas.knuth@heimerle-meule.com

sds@heimerle-meule.com

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

 $AwSV: \ Ordinance \ on \ facilities \ for \ handling \ water-polluting \ substances \ (German \ regulation).$ 

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Contd. on page 13)

Page 13/13

# Safety data sheet according to 1907/2006/EC, Article 31



Version number 12 (replaces version 11) Revision: 21.12.2022 Printing date: 21.12.2022

Trade name: Gold plating bath GP 206 HC, 5 g Au/l Goldplattierbad GP 206 HC, 5 g Au/l

(Contd. of page 12)

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 ·\* **Data compared to the previous version altered.**