

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** Gold plating bath GP 206, 2 g Au/l

Goldplattierbad GP 206, 2 g Au/l

· **Article number:**

81012709

81020423 = 1 liter

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Not approved for private consumers.

· **Application of the substance / the mixture** Galvanic bath

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Heimerle + Meule GmbH  
Dennigstrasse 16  
D-75179 Pforzheim

Telefon +49 (0) 7231 940-0  
Telefax +49 (0) 7231 940-2199  
www.heimerle-meule.com

· **Further information obtainable from:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment  
sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact -  
(Dangerous goods emergency number)  
+49 172 739 6970

· **1.4 Emergency telephone number:**

DEUTSCHLAND - GERMANY:

Vergiftungs-Informationen-Zentrale Freiburg, ++49 761 19240 (24 h)  
(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

ITALY:

Istituto Superiore di Sanità +3906499906140

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse 16662, (+342) 7914 794

LETTLAND - LATVIA:

Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 670 32600

LITAUEN - LIETUVOS RESPUBLIKA:

Apsinuodijimų informacijos biuras +370 (85) 2362052

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 1)

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4      H312 Harmful in contact with skin.

Acute Tox. 4      H332 Harmful if inhaled.

Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- Signal word Warning

- Hazard-determining components of labelling:

Potassium dicyanoaurate

- Hazard statements

H312+H332 Harmful in contact with skin or if inhaled.

H412      Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261      Avoid breathing dust/fume/gas/mist/vapours/spray.

P273      Avoid release to the environment.

P280      Wear protective gloves / protective clothing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312      Call a POISON CENTER/doctor if you feel unwell.

P501      Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information:

EUH208 Contains Potassium dicyanoaurate. May produce an allergic reaction.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31













Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 2)

<b>Dangerous components / Information on ingredients:</b>		
CAS: 7758-98-7 EINECS: 231-847-6 Index number: 029-004-00-0 RTECS: GL 8800000	Copper(II) sulphate; copper sulphate; copper sulfate  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.25-0.5%
CAS: 13967-50-5 EINECS: 237-748-4 Reg.nr.: 01-2120130777-52	Potassium dicyanoaurate  Acute Tox. 2, H300; Acute Tox. 2, H330  Met. Corr. 1, H290; Eye Dam. 1, H318  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Skin Irrit. 2, H315; Skin Sens. 1, H317	0.29%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2	ammonia; ammonia solution ...%; ammonia, aqueous solution; Ammonium hydroxide  Skin Corr. 1B, H314  Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥0.1–<0.25%
CAS: 151-50-8 EINECS: 205-792-3 Index number: 006-007-00-5 Reg.nr.: 01-2119486407-29-xxxx	Potassium cyanide  Acute Tox. 1, H300; Acute Tox. 1, H310; Acute Tox. 1, H330  STOT RE 1, H372  Met. Corr. 1, H290  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025–<0.1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

#### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

#### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact: If skin irritation continues, consult a doctor.

#### · After eye contact: Rinse opened eye for several minutes under running water.

#### · After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

#### · Information for doctor: Cyanides poisoning

### · 4.2 Most important symptoms and effects, both acute and delayed Cyanides poisoning

### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 3)

- **5.2 Special hazards arising from the substance or mixture** In case of fire, the following can be released:
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Mount respiratory protective device.



Wear self-contained respiratory protective device.

*Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire*

- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Only handle and refill product in closed systems.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
The usual precautionary measures are to be adhered to when handling chemicals.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings .  
Observe official regulations on storing packagings .  
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 4)

- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 13967-50-5 Potassium dicyanoaurate**

WEL (Great Britain)	Long-term value: 5 mg/m <sup>3</sup> as CN; Sk
MAK (Germany)	Long-term value: 2E mg/m <sup>3</sup> als CN

**CAS: 1336-21-6 ammonia**

AGW (Germany)	Long-term value: 14 mg/m <sup>3</sup> , 20 ppm 2(I);DFG, EU, Y
---------------	---

**CAS: 151-50-8 Potassium cyanide**

IOELV (European Union)	Short-term value: 5 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup> Skin; as cyanide
AGW (Germany)	Long-term value: 1 E mg/m <sup>3</sup> 5(II);EU, H, Y

· **Regulatory information**

WEL (Great Britain): EH40/2020  
MAK (Germany): MAK- und BAT-Liste  
AGW (Germany): TRGS 900  
IOELV (European Union): (EU) 2019/1831

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.  
According to EC Directive 89/686/EEC

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387

according to EN 143

- **Recommended filter device for short term use:** Combination filter B-P2

· **Protection of hands:**



Protective gloves

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 5)

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

Value for the permeation: Level  $\leq 3$

· **Not suitable are gloves made of the following materials:**

Leather gloves

Strong material gloves

· **Eye protection:** Goggles recommended during refilling

· **Body protection:** Protective work clothing

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Blue

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value at 20°C (68°F):** 8

· **Change in condition**

Melting point/freezing point: 0°C (32°F)

Initial boiling point and boiling range: 100°C (212°F)

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 6)

· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure at 20°C (68°F):</b>	23 hPa (17.3 mm Hg)
· <b>Density at 20°C (68°F):</b>	1.03 g/cm <sup>3</sup> (8.6 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic at 20°C (68°F):</b>	0.952 mPas
<b>Kinematic:</b>	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Harmful in contact with skin or if inhaled.

· **LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Oral	LD50	10,000 mg/kg (Rat)
Inhalative	LC50/4 h	17.2 mg/l

**CAS: 7758-98-7 Copper(II) sulphate**

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

**CAS: 13967-50-5 Potassium dicyanoaurate**

Oral	LD50	29 mg/kg (Rat)
Inhalative	LC50/4 h	0.05 mg/l (ATE)

**CAS: 151-50-8 Potassium cyanide**

Oral	LD50	5 mg/kg (Rat)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4 h	0.005 mg/l (ATE)

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 7)


- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
At present there are no ecotoxicological assessments.  
-  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Harmful to aquatic organisms
- **12.5 Results of PBT and vPvB assessment** Not applicable.
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

- **Waste disposal key:**  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packaging which is uncleaned or soiled with product remains is to be treated like the product itself

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 8)

Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA  
· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user

Not applicable.· 14.7 Transport in bulk according to Annex II of  
Marpol and the IBC CodeNot applicable.

· Transport/Additional information:

· IATA

· Remarks:

24h emergency contact -  
(Dangerous goods emergency number)+49 172 739 6970

· UN "Model Regulation":

Void

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· **GADSL - Global Automotive Declarable Substance List**

CAS: 7758-98-7	Copper(II) sulphate	D/P(LR)
CAS: 10102-18-8	sodium selenite	D(FI)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 9)

· **National regulations:**· **Technical instructions (air):**

Class	Share in %
III	0.3

· **Waterhazard class:** .· **Other regulations, limitations and prohibitive regulations -**· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Reasons for revise**

If necessary, this safety data sheet can be revised according to legal guidelines.

Our current version for your reference is available on our website

[www.heimerle-meule.com](http://www.heimerle-meule.com)

· **Date from last issue :** 20.04.2020· **Relevant phrases**

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt

Department BASU - Construction / Occupational Safety / Environment

[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)

· **Contact:**

Herr Thomas Knuth

[thomas.knuth@heimerle-meule.com](mailto:thomas.knuth@heimerle-meule.com)

[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 10.12.2021

Version number 11

Revision: 10.12.2021

**Trade name: Gold plating bath GP 206, 2 g Au/l**  
**Goldplattierbad GP 206, 2 g Au/l**

(Contd. of page 10)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Met. Corr.1: Corrosive to metals – Category 1  
 Acute Tox. 1: Acute toxicity – Category 1  
 Acute Tox. 2: Acute toxicity – Category 2  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

GB