

Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Gold stripping bath HC Goldglänzbad HC

<u>Goragian Goral 12</u>

· Article number: 86900269

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.
- · Application of the substance / the mixture Galvanic bath
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim

Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com

· Further information obtainable from:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970

· 1.4 Emergency telephone number:

DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

*IRELAND* 

+353 1 809 2166 (7 Days 8 am -10 pm) Healthcare Professionals: +353 1 809 2566

ITALY:

Istituto Superiore di Sanità (ISS) +3906499906140

Centro Antiveleni

Bergamo: +39 800 883300 Firenze +39 055 794 7819 Milano: +39 055 794 7819 Roma +39 06 68593726

Roma +39 06 49978000

Roma +39 06 3954343

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse

National (24/7): 16662 (+372) 7943 794

<u>LETTLAND - LATVIA:</u>

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,

(Contd. on page 2)



Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 1)

(24h) 112

(24h) +371 67042473

LITAUEN - LIETUVOS RESPUBLIKA:

Poison Information Bureau (24/7), Tel.: +8 5 236 20 52

Apsinuodijimų informacijos biuras

.

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

thiourea

· Hazard statements

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

*P201* Obtain special instructions before use.

*P273* Avoid release to the environment.

*P280* Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

-GB



Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 2)

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components / Information on ingredients:		
CAS: 62-56-6 EINECS: 200-543-5 Index number: 612-082-00-0	thiourea; thiocarbamide Carc. 2, H351; Repr. 2, H361d Aquatic Chronic 2, H411 Acute Tox. 4, H302	≥3-<7%
CAS: 56-81-5 EINECS: 200-289-5 RTECS: MA 8050000	glycerol; Glycerine; 1,2,3-Propanetriol; Trihydroxypropane; Emery 918; OPTIM Glycerine 99.7% USP; Glycyl alcohol; Concentrated glycerine; 1,2,3-Trihydroxypropane substance with a Community workplace exposure limit	
	citric acid; 1,2,3-Propanetricarboxylic acid, 2-hydroxy-; 2-Hydroxy-1,2,3-propanetricarboxylic acid; Citronensäure  • Eye Irrit. 2, H319; STOT SE 3, H335	2.5–7%
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 RTECS: TB 6300000 Reg.nr.: 01-2119485924-24	Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25 \%$	
CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8 Reg.nr.: 01-2119453338-20	sulphuric acid; sulfuric acid Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 15$ % Skin Irrit. 2; H315: $5$ % $\le C < 15$ % Eye Irrit. 2; H319: $5$ % $\le C < 15$ %	<0.1%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB

Heimerle + Meule

Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 3)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Nitrogen oxides (NOx)

- 5.3 Advice for firefighters
- · Protective equipment:



Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

*Use respiratory protective device against the effects of fumes/dust/aerosol.* 

Only handle and refill product in closed systems.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Open and handle receptacle with care.

he usual precautionary measures are to be adhered to when handling chemicals.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings.

Observe official regulations on storing packagings.

(Contd. on page 5)



Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 4)

Prevent any seepage into the ground.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
CAS: 56-81-5 glycerol		
WEL (Great Britain)	Long-term value: 10 mg/m³	
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y	
CAS: 7664-38-2 phospi	horic acid 85%	
IOELV (European Unio	n) Short-term value: 2 mg/m³ Long-term value: 1 mg/m³	
AGW (Germany)	Long-term value: 2 E mg/m³ 2(I);DFG, EU, AGS, Y	
CAS: 7664-93-9 sulphu	ric acid	
IOELV (European Unio	n) Long-term value: 0.05 mg/m³	
AGW (Germany)	Long-term value: $0.1 E mg/m^3$ 1(I); DFG, EU, Y	

#### · Regulatory information

WEL (Great Britain): EH40/2020 AGW (Germany): TRGS 900

IOELV (European Union): (EU) 2019/1831

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

According to EC Directive 89/686/EEC

#### Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387 according to EN 143

• Recommended filter device for short term use: Combination filter A-P3

(Contd. on page 6)

Heimerle + Meule

Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 5)

#### · Hand protection



#### according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

*Value for the permeation: Level*  $\leq$  3

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

- · Eye/face protection Goggles recommended during refilling
- · **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless
Characteristic
Not determined

Undetermined

· Boiling point or initial boiling point and boiling

range Undetermined. Selammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: 440°C (824°F)

(Contd. on page 7)



Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

	(Contd. of page
Decomposition temperature:	Not determined.
· pH at 20°C (68°F)	4
· Viscosity:	
· Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
· water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20°C (68°F):	$1.09 \ g/cm^3 \ (9.1 \ lbs/gal)$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	•
· Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
· Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

- $\cdot \textbf{10.1 Reactivity} \ \textit{No further relevant information available}.$
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)



Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 7)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC5	0 values relevant for classification:
ATE (A	cute Toxicity Estimates)
Oral	LD50   25,000 mg/kg (rat)
CAS: 62	-56-6 thiourea
Oral	LD50   1,750 mg/kg (rat)
Dermal	LD50 2,800 mg/kg (rbt)
CAS: 50	-81-5 glycerol
Oral	LD50   12,600 mg/kg (Rat)
Dermal	LD50 10,000 mg/kg (Kanninchen)
CAS: 77	-92-9 citric acid
Oral	LD50 6,730 mg/kg (rat)

- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Suspected of damaging the unborn child.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

CD




Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 8)

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
Transport/Additional information:	
IATA Remarks:	
	24h emergency contact - (Dangerous goods emergency number)
	+49 172 739 6970

Heimerle + Meule

Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 9)

· UN "Model Regulation":

Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

## GADSL - Global Automotive Declarable Substance List

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning women of child-bearing age must be observed.

- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

#### · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

#### Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt

Department BASU - Construction / Occupational Safety / Environment

(Contd. on page 11)

Heimerle + Meule

Printing date: 20.12.2022 Version number 7 (replaces version 6) Revision: 20.12.2022

Trade name: Gold stripping bath HC Goldglänzbad HC

(Contd. of page 10)

sds@heimerle-meule.com

٠\_\_

#### · Contact:

Herr Thomas Knuth

thomas.knuth@heimerle-meule.com

sds@heimerle-meule.com

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity - Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* \* Data compared to the previous version altered.

GB -