

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** Pen gold bath 204-S green, 9 g Au/l  
Stiftgoldbad 204-S grün, 9g Au/l

· **Article number:**

86908080 = 1000ml

86908070 = 100ml

86908060 = 30ml

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Not approved for private consumers.

· **Application of the substance / the mixture** Galvanic bath

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Heimerle + Meule GmbH  
Dennigstrasse 16  
D-75179 Pforzheim

Telefon +49 (0) 7231 940-0  
Telefax +49 (0) 7231 940-2199  
www.heimerle-meule.com

· **Further information obtainable from:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment  
sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact -  
(Dangerous goods emergency number)  
+49 172 739 6970

· **1.4 Emergency telephone number:**

DEUTSCHLAND - GERMANY:  
Vergiftungs-Informationen-Zentrale Freiburg, ++49 761 19240 (24 h)  
(Poisoning Information Center)

GREAT BRITAIN:  
National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

IRELAND  
+353 1 809 2166 (7 Days 8 am -10 pm)  
Healthcare Professionals: +353 1 809 2566

ITALY:  
Istituto Superiore di Sanità (ISS) +3906499906140  
Centro Antiveleni

Bergamo: +39 800 883300  
Firenze +39 055 794 7819  
Milano: +39 055 794 7819  
Roma +39 06 68593726  
Roma +39 06 49978000  
Roma +39 06 3954343

KROATIA - REPUBLIKA HRVATSKA:  
(+385) 01 2348 342

ESTLAND - ESTONIA:  
Tervisemeti Mürgistusteabekeskuse  
National (24/7): 16662

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 1)

(+372) 7943 794

LETTLAND - LATVIA:Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,  
(24h) 112

(24h) +371 67042473

LITAUEN - LIETUVOS RESPUBLIKA:

Poison Information Bureau (24/7), Tel.: +8 5 236 20 52

Apsinuodijimų informacijos biuras

.

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



skull and crossbones

Acute Tox. 3

H311 Toxic in contact with skin.

Acute Tox. 2

H330 Fatal if inhaled.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Tox. 4

H302 Harmful if swallowed.

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- Hazard pictograms



GHS06



GHS09

- Signal word *Danger*

- Hazard-determining components of labelling:

potassium dicyanoargentate

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 2)

Potassium dicyanoaurate  
Potassium nickel cyanide

· **Hazard statements**

H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H330 Fatal if inhaled.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P320 Specific treatment is urgent (see on this label).  
P330 Rinse mouth.  
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH032 Contact with acids liberates very toxic gas.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components / Information on ingredients:**

CAS: 13967-50-5 EINECS: 237-748-4 Reg.nr.: 01-2120130777-52	Potassium dicyanoaurate ----- ☠ Acute Tox. 2, H300; Acute Tox. 2, H330 ☠ Met. Corr.1, H290; Eye Dam. 1, H318 ☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-≤2.5%
CAS: 77-92-9 EINECS: 201-069-1 Index number: 607-750-00-3 RTECS: GE 7350000	citric acid; 1,2,3-Propanetricarboxylic acid, 2-hydroxy-; 2-Hydroxy-1,2,3-propanetricarboxylic acid; Citronensäure ----- ☠ Eye Irrit. 2, H319; STOT SE 3, H335	0.5-1%

(Contd. on page 4)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

		(Contd. of page 3)
CAS: 506-61-6 Reg.nr.: 01-2120753799-33-0001	<i>potassium dicyanoargentate</i> Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 EUH032	0.5-1%
CAS: 14220-17-8 EINECS: 238-082-7 Index number: 006-007-00-5	<i>Potassium nickel cyanide; dipotassium tetracyanonickolate</i> Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 1, H330 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 EUH032	0.25-0.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after an accident or unwell

##### · **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

##### · **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

##### · **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

##### · **After swallowing:**

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

##### · **Information for doctor:** Cyanides poisoning

#### · 4.2 Most important symptoms and effects, both acute and delayed

Cyanides poisoning

Cyanosis

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

##### · **For safety reasons unsuitable extinguishing agents:** Water with full jet

#### · 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (HCN)

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 4)

- **5.3 Advice for firefighters**
- **Protective equipment:**  
 Mount respiratory protective device.



Wear self-contained respiratory protective device.

- **Additional information**  
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
 Mount respiratory protective device.  
 Wear protective equipment. Keep unprotected persons away.  
 Use respiratory protective device against the effects of fumes/dust/aerosol.  
 Only handle and refill product in closed systems.
- **6.2 Environmental precautions:**  
 Do not allow product to reach sewage system or any water course.  
 Inform respective authorities in case of seepage into water course or sewage system.  
 Dilute with plenty of water.  
 Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Dispose contaminated material as waste according to item 13.  
 Ensure adequate ventilation.
- **6.4 Reference to other sections**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
 Keep receptacles tightly sealed.  
 Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 The usual precautionary measures are to be adhered to when handling chemicals.  
 Prevent formation of aerosols.  
 Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
 Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
 Provide alkali-resistant floor.  
 Store only in unopened original receptacles.  
 Observe official regulations on storing packagings .  
 Observe official regulations on storing packagings .  
 Prevent any seepage into the ground.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 5)

· **Information about storage in one common storage facility:**

Do not store together with acids.  
Store away from foodstuffs.

· **Further information about storage conditions:**

Keep container tightly sealed.



Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

· **Storage class:** 6.1 B

· **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 13967-50-5 Potassium dicyanoaurate**

WEL (Great Britain) Long-term value: 5 mg/m<sup>3</sup>  
as CN; Sk

MAK (Germany) Long-term value: 2E mg/m<sup>3</sup>  
als CN

**CAS: 506-61-6 potassium dicyanoargentate**

AGW (Germany) Long-term value: 0.01E mg/m<sup>3</sup>  
2(I);DFG,EU,10

**CAS: 14220-17-8 Potassium nickel cyanide**

WEL (Great Britain) Long-term value: 0.1 mg/m<sup>3</sup>  
as Ni; Sk; Carc; Sen

BOELV (European Union) Long-term value: 0.1\* mg/m<sup>3</sup>  
as Ni; sens. dermal/resp. \*inhalable

AGW (Germany) Long-term value: 0.030E mg/m<sup>3</sup>  
8(II);AGS, Sh, Y, 10, 24, 31

TRGS 910 (Germany) Short-term value: 0.006 (A) mg/m<sup>3</sup>  
Long-term value: 0.006 (A) mg/m<sup>3</sup>  
8, Konzentrationen beziehen sich auf Ni-Gehalt

· **Regulatory information**

WEL (Great Britain): EH40/2020

MAK (Germany): MAK- und BAT-Liste

AGW (Germany): TRGS 900

BOELV (European Union): EU 2022/431

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 6)

*Wash hands before breaks and at the end of work.*

*Store protective clothing separately.*

*Do not inhale gases / fumes / aerosols.*

*Avoid contact with the eyes.*

*Avoid contact with the eyes and skin.*

*According to EC Directive 89/686/EEC*

· **Respiratory protection:**

*Not necessary if room is well-ventilated.*

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

*Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.*

*according EN 14387*

*according to EN 143*

· **Recommended filter device for short term use:** *Combination filter B-P2*

· **Hand protection**

*Check protective gloves prior to each use for their proper condition.*



Protective gloves

*according to EN 374*

*To avoid skin problems reduce the wearing of gloves to the required minimum.*

*Only use chemical-protective gloves with CE-labelling of category III.*

*Sensibilisation by the components in the glove materials is possible.*

*Check the permeability prior to each renewed use of the glove.*

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.*

· **Material of gloves**

*Chloroprene rubber, CR*

*Recommended thickness of the material:  $\geq 0.65$  mm*

*Nitrile rubber, NBR*

*Recommended thickness of the material:  $\geq 0.65$  mm*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

*The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.*

*For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).*

*Value for the permeation: Level  $\leq 3$*

· **Not suitable are gloves made of the following materials:**

*Leather gloves*

*Strong material gloves*

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 7)

· **Eye/face protection**



Tightly sealed goggles

according to EN 166

· **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Physical state</b>	Fluid
· <b>Colour:</b>	Light green
· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	100°C (212°F)
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20°C (68°F)</b>	6
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

· **9.2 Other information**

· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

· **Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 8)

· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Contact with acids releases very toxic gases  
Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:** Hydrogen cyanide (prussic acid)

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**  
Harmful if swallowed.  
Toxic in contact with skin.  
Fatal if inhaled.

· **LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Oral	LD50	327 mg/kg
Dermal	LD50	927 mg/kg
Inhalative	LC50/4 h	0.94 mg/l

**CAS: 13967-50-5 Potassium dicyanoaurate**

Oral	LD50	29 mg/kg (Rat)
Inhalative	LC50/4 h	0.05 mg/l / (ATE) (rat)

**CAS: 77-92-9 citric acid**

Oral	LD50	6,730 mg/kg (rat)
------	------	-------------------

**CAS: 506-61-6 potassium dicyanoargentate**

Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	20.9 mg/kg (Rat)

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 9)

Inhalative	LC50/4 h	0.05 mg/l (ATE)
<b>CAS: 14220-17-8 Potassium nickel cyanide</b>		
Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4 h	0.005 mg/l (ATE)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.


## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment** Not applicable.
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**

-  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

- **Waste disposal key:**  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- **Uncleaned packaging:**

- **Recommendation:**

Disposal must be made according to official regulations.

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 10)

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself  
Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish  
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN1935

· 14.2 UN proper shipping name

· ADR


UN1935 CYANIDE SOLUTION, N.O.S. (Potassium dicyanoaurate, potassium dicyanoargentate), ENVIRONMENTALLY HAZARDOUS

· IMDG, IATA

CYANIDE SOLUTION, N.O.S. (Potassium dicyanoaurate, potassium dicyanoargentate)

· 14.3 Transport hazard class(es)

· ADR



· Class

6.1 Toxic substances.

· Label

6.1

· IMDG, IATA



· Class

6.1 Toxic substances.

· Label

6.1

· 14.4 Packing group

· ADR, IMDG, IATA

III

· 14.5 Environmental hazards:

· Marine pollutant:

No

· Special marking (ADR):

Symbol (fish and tree)

· 14.6 Special precautions for user

Warning: Toxic substances.

· Hazard identification number (Kemler code):

60

· EMS Number:

F-A,S-A

· Segregation groups

(SGG6) Cyanides

· Stowage Category

A

· Stowage Code

SW2 Clear of living quarters.

· Segregation Code

SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

(Contd. on page 12)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 11)

· **Transport/Additional information:**

· **ADR**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **Transport category**

2

· **IMDG**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IATA**

· **Remarks:**

24h emergency contact -  
(Dangerous goods emergency number)

+49 172 739 6970

· **UN "Model Regulation":**

UN 1935 CYANIDE SOLUTION, N.O.S. (POTASSIUM  
D I C Y A N O A U R A T E , P O T A S S I U M  
DICYANOARGENTATE), 6.1, III, ENVIRONMENTALLY  
HAZARDOUS

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· **GADSL - Global Automotive Declarable Substance List**

CAS: 14220-17-8	Potassium nickel cyanide	D(FI)
-----------------	--------------------------	-------

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category**

H2 ACUTE TOXIC

E2 Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
I	1.0

(Contd. on page 13)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 12)

- **Waterhazard class:** .
- **Other regulations, limitations and prohibitive regulations -**
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Reasons for revise**  
If necessary, this safety data sheet can be revised according to legal guidelines.

Our current version for your reference is available on our website  
[www.heimerle-meule.com](http://www.heimerle-meule.com)

- **Relevant phrases**  
H290 May be corrosive to metals.  
H300 Fatal if swallowed.  
H310 Fatal in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH032 Contact with acids liberates very toxic gas.

- **Department issuing SDS:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment

[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)

- **Contact:**  
Herr Thomas Knuth  
[thomas.knuth@heimerle-meule.com](mailto:thomas.knuth@heimerle-meule.com)  
[sds@heimerle-meule.com](mailto:sds@heimerle-meule.com)

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).  
TRGS: Technical rules for hazardous substances (German regulation)  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent

(Contd. on page 14)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 15.12.2022

Version number 11 (replaces version 10)

Revision: 15.12.2022

**Trade name: Pen gold bath 204-S green, 9 g Au/l**  
**Stiftgoldbad 204-S grün, 9g Au/l**

(Contd. of page 13)

*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Met. Corr. 1: Corrosive to metals – Category 1*  
*Acute Tox. 2: Acute toxicity – Category 2*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Acute Tox. 1: Acute toxicity – Category 1*  
*Acute Tox. 3: Acute toxicity – Category 3*  
*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
*Skin Sens. 1: Skin sensitisation – Category 1*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*  
*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*  
*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*  
 \* **Data compared to the previous version altered.**

-GB-