

Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l
- · Article number:

81012168

81012169

81012170

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.
- · Application of the substance / the mixture Galvanic bath
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim

Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com

· Further information obtainable from:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970

· 1.4 Emergency telephone number:

DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

IRELAND

+353 1 809 2166 (7 Days 8 am -10 pm)

Healthcare Professionals: +353 1 809 2566

ITALY:

Istituto Superiore di Sanità (ISS) +3906499906140

Centro Antiveleni

Bergamo: +39 800 883300 Firenze +39 055 794 7819 Milano: +39 055 794 7819 Roma +39 06 68593726

Roma +39 06 49978000

Roma +39 06 3954343

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse

National (24/7): 16662

(Contd. on page 2)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 1)

(+372) 7943 794

LETTLAND - LATVIA:

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,

(24h) 112

(24h) +371 67042473

LITAUEN - LIETUVOS RESPUBLIKA:

Poison Information Bureau (24/7), Tel.: +8 5 236 20 52

Apsinuodijimų informacijos biuras

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Muta. 2 H341 Suspected of causing genetic defects.



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

sulphuric acid

Dirhodiumtrisulphate

· Hazard statements

H314 Causes severe skin burns and eye damage.

H341 Suspected of causing genetic defects.

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 3)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 2)

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components / Information on ingredients:		
CAS: 7664-93-9	sulphuric acid; sulfuric acid	≥15-≤25%
EINECS: 231-639-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 016-020-00-8	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 15 \%$	
Reg.nr.: 01-2119453338-20	Skin Irrit. 2; H315: $5 \% \le C < 15$	
	%	
	<i>Eye Irrit. 2; H319: 5 % ≤ C < 15 %</i>	
	substance with a Community workplace exposure limit	
CAS: 10489-46-0	Dirhodiumtrisulphate	7–10%
EINECS: 234-014-5	♦ Muta. 2, H341	
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
CAS: 5329-14-6	sulphamic acid; sulphamidic acid; sulfamic acid	2.5-7%
EINECS: 226-218-8	(1) Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Index number: 016-026-00-0	Åquatic Chronic 3, H412	
RTECS: WO 5950000		

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Hazards Danger of gastric perforation.

(Contd. on page 4)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 3)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Sulphur dioxide (SO2)

Sulphuric acid aerosol - sulfur oxides

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mount respiratory protective device.



Wear self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not allow to dry out

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 4)

Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings.

Observe official regulations on storing packagings.

Prevent any seepage into the ground.

· Information about storage in one common storage facility:

Store away from foodstuffs.

· Further information about storage conditions:

Keep container tightly sealed.

Store under lock and key and out of the reach of children.

- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: CAS: 7664-93-9 sulphuric acid	
WEL (Great Britain)	Long-term value: 0.05* mg/m³ *mist: defined as thoracic fraction
IOELV (European Union)	Long-term value: 0.05 mg/m³
AGW (Germany)	Long-term value: 0.1 E mg/m³ 1(I);DFG, EU, Y

· Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

AGW (Germany): TRGS 900

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 6)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 5)

Use suitable respiratory protective device when high concentrations are present.

Short term filter device:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387 according to EN 143

- · Recommended filter device for short term use: Combination filter B-P2
- · Hand protection

Acid resistant gloves

Check protective gloves prior to each use for their proper condition.



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

· Material of gloves

Chloroprene rubber, CR

Recommended thickness of the material: ≥ 0.65 mm

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.65 mm

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

Value for the permeation: Level \leq 3

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

· Eye/face protection



Tightly sealed goggles

according to EN 166

(Contd. on page 7)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 6)

· Body protection:

Acid resistant protective clothing

Protective work clothing

SECTION 9: Ph	vsical and	chemical	nronerties
DECITOR 7. III	ysicui unu	Chemicai	properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odourless
Odour threshold:
Melting point/freezing point:
Fluid
Red-brown
Odourless
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range >100°C (>212°F)
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature: Not determined.

 \cdot pH at 20°C (68°F) <1

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

• Vapour pressure at 20°C (68°F): 23 hPa (17.3 mm Hg)

Density and/or relative density

• **Density at 20°C (68°F):** 1.28 g/cm³ (10.68 lbs/gal)

Relative densityVapour densityNot determined.Not determined.

• 9.2 Other information 0.00 %

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void Void · Flammable gases Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Void · Flammable solids · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Void · Pyrophoric solids

(Contd. on page 8)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

		(Contd. of page 7)
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

CAS: 5329-14-6 sulphamic acid

Oral LD50 3,160 mg/kg (rat)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Germ cell mutagenicity Suspected of causing genetic defects.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

GB .




Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 8)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN3264
	U1 V32U7
14.2 UN proper shipping name	
ADR	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANI
NAME OF TAXABLE	N.O.S. (SULPHURIC ACID, Dirhodiumtrisulphate)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(SULPHURIC ACID, Dirhodiumtrisulphate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
8	
	8 Corrosive substances. 8
Label	
Label 14.4 Packing group	8
Label 14.4 Packing group ADR, IMDG, IATA	
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	8 II
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	8
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant:	8 II
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user	8 II No
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user Hazard identification number (Kemler code):	No Warning: Corrosive substances.
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	No Warning: Corrosive substances. 80
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	No Warning: Corrosive substances. 80 F-A,S-B



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

	(Contd. of page
14.7 Maritime transport in bulk according	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IATA	
Remarks:	•
	24h emergency contact -
	(Dangerous goods emergency number)
	+49 172 739 6970
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO N . O . S . (SULPHURIC ACID DIRHODIUMTRISULPHATE), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

Council Directive 96/82/EC	
· GADSL - Global Automotive Declarable Substance List	
None of the ingredients is listed.	
· Poisons Act	
· Regulated explosives precursors	
CAS: 7664-93-9 sulphuric acid	15%
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precursors	
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
	(Contd. on page 11)



Printing date: 20.12.2023 Version number 13 (replaces version 12) Revision: 20.12.2023

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 10)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt

Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

· Contact:

Herr Thomas Knuth

thomas.knuth@heimerle-meule.com

sds@heimerle-meule.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 12)



Revision: 20.12.2023 Printing date: 20.12.2023 Version number 13 (replaces version 12)

Trade name: Pen rhodium WhiteStar® PEN, 20 g Rh/l Stiftrhodium WhiteStar® PEN 20 g Rh/l

(Contd. of page 11)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Muta. 2: Germ cell mutagenicity – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.