

Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

  Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)
- · Article number:

86909000 = 2g Ag/l86909020 = 3g Ag/l

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.
- · Application of the substance / the mixture Galvanic bath
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim

Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com

Further information obtainable from:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970

· 1.4 Emergency telephone number:

DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111 IRELAND

+353 1 809 2166 (7 Days 8 am -10 pm)

Healthcare Professionals: +353 1 809 2566

ITALY:

*Istituto Superiore di Sanità (ISS)* +3906499906140

Centro Antiveleni

Bergamo: +39 800 883300 Firenze +39 055 794 7819 Milano: +39 055 794 7819

Roma +39 06 68593726 Roma +39 06 49978000

Roma +39 06 3954343

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse

National (24/7): 16662 (+372) 7943 794

(Contd. on page 2)



Printing date: 15.12.2022 *Version number 6 (replaces version 5)* Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l) Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 1)

#### LETTLAND - LATVIA:

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,

(24h) 112

(24h) +371 67042473

LITAUEN - LIETUVOS RESPUBLIKA:

Poison Information Bureau (24/7), Tel.: +8 5 236 20 52

Apsinuodijimų informacijos biuras

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



skull and crossbones

H300 Fatal if swallowed. Acute Tox. 2

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 1 H330 Fatal if inhaled.



health hazard

H372 Causes damage to organs through prolonged or repeated exposure.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms







- · Signal word Danger
- · Hazard-determining components of labelling:

Potassium cyanide

potassium dicyanoargentate

· Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 3)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 2)

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

*P273* Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Additional information:

EUH032 Contact with acids liberates very toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components / Informa	Dangerous components / Information on ingredients:		
CAS: 151-50-8	Potassium cyanide	≥10-<25%	
EINECS: 205-792-3 Index number: 006-007-00-5	Acute Tox. 1, H300; Acute Tox. 1, H310; Acute Tox. 1, H330		
Reg.nr.: 01-2119486407-29-xxxx	11000		
1108.11.1. 01 2117 700 707 27 3.4444	Met. Corr.1, H290		
	🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
	EUH032		
	potassium dicyanoargentate	≥0.5-<1%	
Reg.nr.: 01-2120753799-33-0001	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330		
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318		
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 EUH032		

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 4)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 3)

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

· Information for doctor: Cyanides poisoning

· 4.2 Most important symptoms and effects, both acute and delayed

Cyanides poisoning

Cyanosis

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (HCN)

- · 5.3 Advice for firefighters
- · Protective equipment:



Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

 ${\it Use respiratory protective device against the effects of fumes/dust/aerosol.}$ 

Only handle and refill product in closed systems.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 4)

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

he usual precautionary measures are to be adhered to when handling chemicals.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Observe official regulations on storing packagings.

Observe official regulations on storing packagings.

Prevent any seepage into the ground.

· Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.



Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

- · Storage class: 6.1 B
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

	Ingredients with limit values that require monitoring at the workplace:		
CAS: 151-50-8 Potassium	cyanide		
WEL (Great Britain)	Short-term value: 5 mg/m³ Long-term value: 1 mg/m³ Sk, as CN		
IOELV (European Union)	Short-term value: 5 mg/m³ Long-term value: 1 mg/m³ Skin; as cyanide		
AGW (Germany)	Long-term value: 1 E mg/m³ 5(II);EU, H, Y		
CAS: 506-61-6 potassium	dicyanoargentate		
AGW (Germany)	Long-term value: 0.01E mg/m³ 2(I);DFG,EU,10		
	(Contd. on page		

(Contd. on page 6)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)
Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 5)

#### · Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

AGW (Germany): TRGS 900

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

According to EC Directive 89/686/EEC

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387 according to EN 143

- · Recommended filter device for short term use: Combination filter B-P2
- · Hand protection



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

PVC gloves

Recommended thickness of the material:  $\geq 0.5$  mm

Natural rubber, NR

Recommended thickness of the material:  $\geq 0.35$  mm

(Contd. on page 7)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 6)

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

*Value for the permeation:* Level  $\leq 3$ 

#### · Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

· Eye/face protection



Tightly sealed goggles

according to EN 166

· Body protection: Protective work clothing

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidColourless

Odour: Like bitter almonds
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 100°C (212°F)
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

· pH at 20°C (68°F)

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure:Density and/or relative density

Density at 20°C (68°F): 1.11 g/cm³ (9.26 lbs/gal)

Not determined.

Relative densityVapour densityNot determined.Not determined.

(Contd. on page 8)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 7)

9.2 Other information

· Appearance:

Fluid

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard of	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Contact with acids releases very toxic gases

Reacts with acids, alkalis and oxidising agents.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products: Hydrogen cyanide (prussic acid)

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Fatal if swallowed, in contact with skin or if inhaled.

	· LD/LC50 values relevant for classification:				
	ATE (Acute Toxicity Estimates)				
Γ	Oral	LD50	32.2 mg/kg		
	Dermal	LD50	33 mg/kg		
	Inhalative	LC50/4 h	0.0332  mg/l		

(Contd. on page 9)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 8)

CAS: 151-	CAS: 151-50-8 Potassium cyanide		
Oral	LD50	5 mg/kg (Rat)	
Dermal	LD50	5 mg/kg (ATE)	
Inhalative	LC50/4 h	0.005  mg/l (ATE)	
CAS: 506-	CAS: 506-61-6 potassium dicyanoargentate		
Oral	LD50	5 mg/kg (ATE)	
Dermal	LD50	20.9 mg/kg (Rat)	
		0.05 mg/l (ATE)	

- · STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.


Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

(Contd. on page 10)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 9)

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1935
· 14.2 UN proper shipping name	
· ADR	UN1935 CYANIDE SOLUTION, N.O.S. (POTASSIU CYANIDE, potassium dicyanoargentate
	ENVIRONMENTALLY HAZARDOUS
· IMDG	CYANIDE SOLUTION, N.O.S. (POTASSIUM CYANIDA
· IATA	potassium dicyanoargentate), MARINE POLLUTANT CYANIDE SOLUTION, N.O.S. (POTASSIUM CYANIDA
	potassium dicyanoargentate)
14.3 Transport hazard class(es)	
· ADR, IMDG	
Class	6.1 Toxic substances.
Label	6.1
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group · ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Toxic substances.
· Hazard identification number (Kemler code): · EMS Number:	60 F-A,S-A
· EMS Number: · Segregation groups	(SGG6) Cyanides
Stowage Category	

(Contd. on page 11)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

	(Contd. of page 1
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk accordi	ng to IMO
instruments	Not applicable.
Transport/Additional information:	
· ADR	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
· IMDG	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
· IATA	
Remarks:	
	24h emergency contact -
	(Dangerous goods emergency number)
	+49 172 739 6970
UN "Model Regulation":	UN 1935 CYANIDE SOLUTION, N.O.S. (POTASSIU)
-	CYANIDE, POTASSIUM DICYANOARGENTATE), 6.
	II, ENVIRONMENTALLY HAZARDOUS

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

#### · GADSL - Global Automotive Declarable Substance List

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H2 ACUTE TÖXIC

E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 20 t

(Contd. on page 12)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 11)

- · National regulations:
- · Technical instructions (air):

Class	Share in %
I	0.4

- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

#### · Relevant phrases

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

*H410* Very toxic to aquatic life with long lasting effects.

EUH032 Contact with acids liberates very toxic gas.

#### Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt

Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

#### · Contact:

Herr Thomas Knuth

thomas.knuth@heimerle-meule.com

sds@heimerle-meule.com

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 13)



Printing date: 15.12.2022 Version number 6 (replaces version 5) Revision: 15.12.2022

Trade name: Pre silver bath VS 60 (2g Ag/l and 3g Ag/l)

Vorversilberungsbad VS 60 (2g Ag/l und 3g Ag/l)

(Contd. of page 12)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

GB -