

Printing date: 21.12.2022

×

Version number 7 (replaces version 6)

Revision: 21.12.2022

1.1 Product identifier	
Trade name: <u>Regeneration solution GP 206 R</u> Regenerierungslösung GP 206 R	
Article number:	
81012370	
UFI: 4389-P0X2-V00Q-UUYJ	
1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.	
Application of the substance / the mixture Galvanic bath	
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim	
Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com	
Further information obtainable from:	
Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com	
IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970	
1.4 Emergency telephone number:	
DEUTSCHLAND - GERMANY: Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h) (Poisoning Information Center) GREAT BRITAIN:	
National Poisons Information Service +44 121 507 4123 Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111 IRELAND	
+353 1 809 2166 (7 Days 8 am -10 pm) Healthcare Professionals: +353 1 809 2566	
<u>ITALY:</u> Istituto Superiore di Sanità (ISS) +3906499906140 Centro Antiveleni Participa di Sono 882200	
Bergamo: +39 800 883300 Firenze +39 055 794 7819 Milano: +39 055 794 7819	
Roma +39 06 68593726 Roma +39 06 49978000 Roma +39 06 3954343	
<u>KROATIA - REPUBLIKA HRVATSKA:</u> (+385) 01 2348 342 <u>ESTLAND - ESTONIA:</u>	
Tervisemeti Mürgistusteabekeskuse	
National (24/7): 16662	(Contd. on pa



Revision: 21.12.2022


Printing date: 21.12.2022

Version number 7 (replaces version 6)

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

(Contd. of page 1)

(+372) 7943 794 <u>LETTLAND - LATVIA:</u> Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs, (24h) 112 (24h) +371 67042473 <u>LITAUEN - LIETUVOS RESPUBLIKA:</u> Poison Information Bureau (24/7), Tel.: +8 5 236 20 52 Apsinuodijimų informacijos biuras



Eye Dam. 1 H318

H318 Causes serious eye damage.

<u>*<u><u></u></u> environment</u></u>*

Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Copper(II)sulphate-Pentahydrat · Hazard statements H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P273 Avoid release to the environment. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P391 Collect spillage.

(Contd. on page 3)



Printing date: 21.12.2022

Version number 7 (replaces version 6)

Revision: 21.12.2022

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

P501

(Contd. of page 2) Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components / Information on ingredients:

	Copper(II)sulphate-Pentahydrat; copper sulphate	10–25%
EINECS: 231-847-6	pentahydrate; copper(II) sulfate, pentahydrate	
	♦ Eye Dam. 1, H318	
	\bigwedge Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410	
5	$(\hat{M}=1)$	
	Acute Tox. 4, H302	
	ATE: LD50 oral: 481 mg/kg	
	anding of the listed hazard physics refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

GB

Page 4/11

Printing date: 21.12.2022

Version number 7 (replaces version 6)

Revision: 21.12.2022

(Contd. of page 3)

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

- · 5.3 Advice for firefighters
- Protective equipment:



Wear self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

• Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. Only handle and refill product in closed systems.
 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep receptacles tightly sealed.

he usual precautionary measures are to be adhered to when handling chemicals. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings.
- Observe official regulations on storing packagings.
- Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.

Store under lock and key and out of the reach of children.

• Storage class: 12

(Contd. on page 5)

[—] GB

Version number 7 (replaces version 6)



Revision: 21.12.2022

(Contd. of page 4)

Trade name: Regeneration solution GP 206 R

Printing date: 21.12.2022

Regenerierungslösung GP 200 R

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

• Respiratory protection:

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387 according to EN 143

- Recommended filter device for short term use: Combination filter B-P2
- Hand protection



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 6)



Revision: 21.12.2022

Printing date: 21.12.2022

Version number 7 (replaces version 6)

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

(Contd. of page 5) For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3). Value for the permeation: Level ≤ 3

- Not suitable are gloves made of the following materials: Leather gloves Strong material gloves
- · Eye/face protection



Tightly sealed goggles

according to EN 166 • **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	roperties
· General Information	
· Physical state	Fluid
· Colour:	Blue
· Odour:	Odourless
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20°C (68°F)	9.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
· Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
Density at 20°C (68°F):	1.12 g/cm ³ (9.35 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
Form:	Fluid
Important information on protection of health an environment, and on safety.	d
• Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 7)

— G

Keimerle + Meule

Printing date: 21.12.2022

Version number 7 (replaces version 6)

Revision: 21.12.2022

Page 7/11

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

		(Contd. of pag
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard of	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 4,167 mg/kg

CAS: 7758-99-8 Copper(II)sulphate-Pentahydrat

Oral LD50 481 mg/kg (ATE)

· Serious eye damage/irritation Causes serious eye damage.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 8)

Page 8/11

Printing date: 21.12.2022

Version number 7 (replaces version 6)

Revision: 21.12.2022

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

(Contd. of page 7)

SECTION 12: Ecological information


- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment Not applicable.
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- **Remark:** Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA

UN3082

(Contd. on page 9)

GB –



Revision: 21.12.2022

Printing date: 21.12.2022

Version number 7 (replaces version 6)

de name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R		
	(Contd. of pag	
14.2 UN proper shipping name ADR	UN3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (Copper(II)sulphan Pentahydrat)	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Copper(II)sulphate-Pentahydra MARINE POLLUTANT	
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Copper(II)sulphate-Pentahydrat)	
14.3 Transport hazard class(es) ADR, IMDG, IATA		
Class Label	9 Miscellaneous dangerous substances and articles. 9	
14.4 Packing group	<u>у</u>	
ADR, IMDG, IATA	III	
14.5 Environmental hazards:	Product contains environmentally hazardous substance. Copper(II)sulphate-Pentahydrat	
Marine pollutant:	Yes Symbol (fish and tree)	
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)	
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances a articles.	
Hazard identification number (Kemler code): EMS Number:	90 E 4 S E	
LMS Number: Stowage Category	F-A,S-F A	
14.7 Maritime transport in bulk according to IM instruments	<i>IO</i> Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml	
Transport category	Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3	
IMDG		
Limited quantities (LQ)	5L Carlas El	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
IATA		
Remarks:	24h amangan mu agusta at	
	24h emergency contact - (Dangerous goods emergency number)	

⁽Contd. on page 10)



Revision: 21.12.2022

Printing date: 21.12.2022

.

Version number 7 (replaces version 6)

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

(Contd. of page 9)

D/P(LR)

	+49 172 739 6970
• UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER(II) SULPHATE-PENTAHYDRAT), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

GADSL - Global Automotive Declarable Substance List

CAS: 7758-99-8 Copper(II)sulphate-Pentahydrat

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

· Relevant phrases

H302 Harmful if swallowed. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

• Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

(Contd. on page 11)



Revision: 21.12.2022

GB

Printing date: 21.12.2022

Version number 7 (replaces version 6)

Trade name: Regeneration solution GP 206 R Regenerierungslösung GP 206 R

(Contd. of page 10)
Contact:
Herr Thomas Knuth
thomas.knuth@heimerle-meule.com
sds@heimerle-meule.com
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).
TRGS: Technical rules for hazardous substances (German regulation)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
* Data compared to the previous version altered.