

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** Solvent for Silver conducting lacquer

Entferner für Silberleitlack

· **Article number:** 86959080

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Not approved for private consumers.

· **Application of the substance / the mixture** Paint remover

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Heimerle + Meule GmbH  
Dennigstrasse 16  
D-75179 Pforzheim

Telefon +49 (0) 7231 940-0  
Telefax +49 (0) 7231 940-2199  
www.heimerle-meule.com

· **Further information obtainable from:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt  
Department BASU - Construction / Occupational Safety / Environment  
sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact -  
(Dangerous goods emergency number)  
+49 172 739 6970

· **1.4 Emergency telephone number:**

DEUTSCHLAND - GERMANY:  
Vergiftungs-Information-Zentrale Freiburg, ++49 761 19240 (24 h)  
(Poisoning Information Center)

GREAT BRITAIN:  
National Poisons Information Service +44 121 507 4123  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

ITALY:  
Istituto Superiore di Sanità +3906499906140

KROATIA - REPUBLIKA HRVATSKA:  
(+385) 01 2348 342

ESTLAND - ESTONIA:  
Tervisemeti Mürgistusteabekeskuse 16662, (+342) 7914 794

LETTLAND - LATVIA:  
Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 670 32600

LITAUEN - LIETUVOS RESPUBLIKA:  
Apsinuodijimų informacijos biuras +370 (85) 2362052

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 1)

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS05



GHS06

- Signal word *Danger*
- Hazard-determining components of labelling:  
Salpetersäure < 64,9 %
- Hazard statements  
H290 May be corrosive to metals.  
H331 Toxic if inhaled.  
H314 Causes severe skin burns and eye damage.
- Precautionary statements  
P260 Do not breathe dusts or mists.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 2)

- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms



GHS05



GHS06

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
Salpetersäure < 64,9 %
- **Hazard statements**  
H331 Toxic if inhaled.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P260 Do not breathe dusts or mists.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components / Information on ingredients:**

CAS: 7697-37-2 EINECS: 231-714-2 Index number: 007-004-00-1 Reg.nr.: 01-2119487297-23	Salpetersäure < 64,9 % ☠ Acute Tox. 3, H331 ☠ Met. Corr.1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 % Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 65 % ≤ C < 99 %	25–50%
--	--	--------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Remove breathing equipment only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 3)

*Personal protection for the First Aider.*

*Take affected persons out of danger area and lay down.*

*Involve doctor immediately after an accident or unwell*

· **After inhalation:**

*Supply fresh air or oxygen; call for doctor.*

*In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:**

*Immediately wash with water and soap and rinse thoroughly.*

*If skin irritation continues, consult a doctor.*

· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

· **After swallowing:**

*Rinse out mouth and then drink plenty of water.*

*Drink plenty of water and provide fresh air. Call for a doctor immediately.*

*A person vomiting while laying on their back should be turned onto their side.*

· **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

· **Hazards**

*Danger of gastric perforation.*

*Danger of pulmonary oedema.*

· **4.3 Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

*CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*

· **For safety reasons unsuitable extinguishing agents:** *Water with full jet*

· **5.2 Special hazards arising from the substance or mixture**

*Formation of very toxic gases is possible during heating or in case of fire.*

*Nitrogen oxides (NO<sub>x</sub>)*

· **5.3 Advice for firefighters**

· **Protective equipment:**



*Wear self-contained respiratory protective device.*

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

*Mount respiratory protective device.*

*Wear protective equipment. Keep unprotected persons away.*

*Use respiratory protective device against the effects of fumes/dust/aerosol.*

*Only handle and refill product in closed systems.*

· **6.2 Environmental precautions:**

*Dilute with plenty of water.*

*Do not allow to enter sewers/ surface or ground water.*

· **6.3 Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Dispose contaminated material as waste according to item 13.*

*Ensure adequate ventilation.*

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 4)

- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
The usual precautionary measures are to be adhered to when handling chemicals.  
Prevent formation of aerosols.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings .  
Observe official regulations on storing packagings .  
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**  
Store away from flammable substances.  
Store away from metals.  
Do not store together with acids.  
Store away from foodstuffs.
- **Further information about storage conditions:**  
Keep container tightly sealed.



Store under lock and key and with access restricted to technical experts or their assistants only.

- Store under lock and key and out of the reach of children.
- **Storage class:** 6.1 D
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 7697-37-2 Salpetersäure < 64,9 %**

WEL (Great Britain)	Short-term value: 2.6 mg/m <sup>3</sup> , 1 ppm
IOELV (European Union)	Short-term value: 2.6 mg/m <sup>3</sup> , 1 ppm
AGW (Germany)	Long-term value: 2.6 mg/m <sup>3</sup> , 1 ppm EU, 13, 16

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 5)

- **Regulatory information**

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

AGW (Germany): TRGS 900

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

- **Respiratory protection:**

Short term filter device:

Combinationfilter ABEK-P3

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387

according to EN 143

- **Protection of hands:**



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

PVC gloves

Recommended thickness of the material:  $\geq 0.7$  mm

Chloroprene rubber, CR

Recommended thickness of the material:  $\geq 0.5$  mm

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 6)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

Value for the permeation: Level  $\leq 3$

· **Not suitable are gloves made of the following materials:**

Leather gloves

Strong material gloves

· **Eye protection:**

Safety glasses



Tightly sealed goggles

according to EN 166

· **Body protection:** Protective work clothing

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Fluid  
**Colour:** Colourless

· **Odour:** Product specific

· **Odour threshold:** Not determined.

· **pH-value at 20°C (68°F):** 1

· **Change in condition**

**Melting point/freezing point:** Undetermined.

**Initial boiling point and boiling range:** >34°C (>93.2°F)

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20°C (68°F):** 1.25 g/cm<sup>3</sup> (10.43 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 7)

- |  |  |
|--|--|
| · <b>Evaporation rate</b>                        | Not determined.                            |
| · <b>Solubility in / Miscibility with water:</b> | Fully miscible.                            |
| · <b>Partition coefficient: n-octanol/water:</b> | Not determined.                            |
| · <b>Viscosity:</b>                              |  |
| <b>Dynamic:</b>                                  | Not determined.                            |
| <b>Kinematic:</b>                                | Not determined.                            |
| · <b>9.2 Other information</b>                   | No further relevant information available. |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Violent reactions with strong alkalis and oxidising agents.  
Reacts with various metals.  
Reacts with reducing agents.  
Reacts with metals to form nitrous fumes and hydrogen.  
Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Nitrogen oxides

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Toxic if inhaled.

· **LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Inhalative	LC50/4 h	6 mg/l
------------	----------	--------

**CAS: 7697-37-2 Salpetersäure < 64,9 %**

Inhalative	LC50/4 h	3 mg/l (ATE)
------------	----------	--------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 8)


· **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **12.5 Results of PBT and vPvB assessment** Not applicable.
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

- **Waste disposal key:**  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.
- **European waste catalogue**  
There are no uniform EC regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste

11 00 00	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY
11 01 00	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 05*	pickling acids
HP8	Corrosive

- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packaging which is uncleaned or soiled with product remains is to be treated like the product itself  
Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GB

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020


Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 9)

### SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN2031
· 14.2 UN proper shipping name · ADR · IMDG, IATA	UN2031 NITRIC ACID solution NITRIC ACID solution
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category	Warning: Corrosive substances. 80 F-A,S-B Acids D
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	24h emergency contact - (Dangerous goods emergency number)  +49 172 739 6970

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 10)

· **UN "Model Regulation":** UN 2031 NITRIC ACID SOLUTION, 8, II

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **GADSL - Global Automotive Declarable Substance List**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category H2 ACUTE TOXIC**

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**

· **Waterhazard class:** .

· **Other regulations, limitations and prohibitive regulations -**

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Reasons for revise**

If necessary, this safety data sheet can be revised according to legal guidelines.

Our current version for your reference is available on our website

[www.heimerle-meule.com](http://www.heimerle-meule.com)

· **Date from last issue :** 27.03.2018

· **Relevant phrases**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

· **Department issuing SDS:**

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt

(Contd. on page 12)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 12.10.2020

Version number 5

Revision: \_\_\_\_\_ 12.10.2020

**Trade name: Solvent for Silver conducting lacquer**  
**Entferner für Silberleitlack**

(Contd. of page 11)

Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

**Contact:**

Herr Thomas Knuth

Knuth@heimerle-meule.com

sds@heimerle-meule.com

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity - inhalation – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* **Data compared to the previous version altered.**