

Printing date: 21.12.2022

Version number 10 (replaces version 9)

Revision: 21.12.2022

SECTION 1: Identification of the substance/mixture and of the comp	pany/undertaking
· 1.1 Product identifier	
Trade name: <u>Titanium pickle W</u> Titanbeize W	
Article number: 81010672	
• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.	
Application of the substance / the mixture Galvanic bath	
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim	
Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com	
Further information obtainable from:	
Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com	
IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970	
1.4 Emergency telephone number:	
DEUTSCHLAND - GERMANY: Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h) (Poisoning Information Center) <u>GREAT BRITAIN:</u> National Poisons Information Service +44 121 507 4123	
Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111 IRELAND	
+353 1 809 2166 (7 Days 8 am -10 pm) Healthcare Professionals: +353 1 809 2566 <u>ITALY:</u>	
Istituto Superiore di Sanità (ISS) +3906499906140 Centro Antiveleni Bergamo: +39 800 883300	
Firenze +39 055 794 7819 Milano: +39 055 794 7819 Roma +39 06 68593726	
Roma +39 06 49978000 Roma +39 06 3954343	
<u>KROATIA - REPUBLIKA HRVATSKA:</u> (+385) 01 2348 342 ESTLAND - ESTONIA:	
Tervisemeti Mürgistusteabekeskuse National (24/7): 16662 (+372) 7943 794	
LETTLAND - LATVIA:	
Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,	(Contd. on pag



Printing date: 21.12.2022

Version number 10 (replaces version 9)


Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W

(Contd. of page 1)

GB

(24h) 112 (24h) +371 67042473 LITAUEN - LIETUVOS RESPUBLIKA: Poison Information Bureau (24/7), Tel.: +8 5 236 20 52 Apsinuodijimų informacijos biuras





Revision: 21.12.2022

Printing date: 21.12.2022

Version number 10 (replaces version 9)

T	Trade name: Titanium pickle W Titanbeize W			
		(Contd. of page 2)		
	<i>P303</i> + <i>P361</i> + <i>P</i> .	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].		
	P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P361+P364	Take off immediately all contaminated clothing and wash it before reuse.		
	P405	Store locked up.		
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		
	· 2.3 Other hazar	0		
	· Results of PBT	and vPvB assessment		
	• PBT: Not applied			
	• vPvB: Not appl			
*	SECTION 3	Composition/information on ingredients		
	SECTION J.	Composition/injormation on ingreatents		
	· 3.2 Mixtures			
	• Description: Mi	ixture of substances listed below with nonhazardous additions.		
	· Dangerous com	ponents / Information on ingredients:		
	CAS: 7697-37-2	$2 \qquad Salpeters \ddot{a}ure < 64,9\% \qquad \geq 25 - \le 50\%$		

Dangerous components / Information on ingreatents.		
CAS: 7697-37-2	Salpetersäure < 64,9 %	≥25–≤50%
EINECS: 231-714-2	Acute Tox. 3, H331	
Index number: 007-030-00-3	Met. Corr. 1, H290; Skin Corr. 1A, H314	
<i>Reg.nr.: 01-2119487297-23</i>	3 EUH071	
	ATE: LC50/4 h inhalative: 2.65 mg/l	
	Specific concentration limits: Ox. Liq. 3; H272: $C \ge 65 \%$	
	<i>Skin Corr. 1A; H314: C ≥ 20 %</i>	
	<i>Skin Corr. 1B; H314: 5 % ≤ C < 20</i>	
	%	
CAS: 7664-39-3	hydrofluoric acid	<10%
EINECS: 231-634-8	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330	
Index number: 009-003-00-1	Skin Corr. 1A, H314	
	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 7 \%$	
	<i>Skin Corr.</i> 1B; H314: $1 \% \le C < 7$	
	%	
	<i>Eye Irrit.</i> 2; <i>H319</i> : $0.1 \% \le C < 1$	
	%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing equipment only after contaminated clothing have been completely removed.
- *In case of irregular breathing or respiratory arrest provide artificial respiration.*
- Personal protection for the First Aider.
- Take affected persons out of danger area and lay down.
- Involve doctor immediately after a accident or unwell
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing. Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)

⁻ GB



Revision: 21.12.2022

Printing date: 21.12.2022

Version number 10 (replaces version 9)

Trade name: Titanium pickle W Titanbeize W

(Contd. of page 3)

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Hazards* Danger of gastric perforation.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of very toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Hydrogen fluoride (HF)

5.3 Advice for firefighters

• Protective equipment:

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire

Mount respiratory protective device.



Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Only handle and refill product in closed systems.
6.2 Environmental precautions: Suppress gases/fumes/haze with water spray.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 5)

⁻ GB

Printing date: 21.12.2022

Version number 10 (replaces version 9)



Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W

(Contd. of page 4)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Carry out filling operations only at sites with extractors available. Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. he usual precautionary measures are to be adhered to when handling chemicals. Prevent formation of aerosols. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. • Information about fire - and explosion protection: Keep respiratory protective device available. · 7.2 Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: glass or ceramic. Observe official regulations on storing packagings. Observe official regulations on storing packagings. Prevent any seepage into the ground.

· Information about storage in one common storage facility:

Do not store together with acids. Store away from foodstuffs.

• Further information about storage conditions: Keep container tightly sealed.



Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children. • Storage class: 6.1 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
CAS: 7697-37-2 Salpeters	äure < 64,9 %	
WEL (Great Britain)	WEL (Great Britain) Short-term value: 2.6 mg/m ³ , 1 ppm	
IOELV (European Union) Short-term value: 2.6 mg/m³, 1 ppm		
AGW (Germany)	Long-term value: 2.6 mg/m³, 1 ppm EU, 13, 16	
CAS: 7664-39-3 hydroflu	oric acid	
WEL (Great Britain)	Short-term value: 2.5 mg/m ³ , 3 ppm Long-term value: 1.5 mg/m ³ , 1.8 ppm	
		(Contd. on page 6)

_(



Printing date: 21.12.2022

Version number 10 (replaces version 9)

Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W

		(Contd. of page 5)
IOELV (European Union) Short-term value: 2.5 mg/m³, 3 ppm Long-term value: 1.5 mg/m³, 1.8 ppm	
AGW (Germany)	Long-term value: 0.83 mg/m ³ , 1 ppm 2(1);DFG, EU, Y, H	
• Regulatory information WEL (Great Britain): EF IOELV (European Union AGW (Germany): TRGS): (EU) 2019/1831	
· Ingredients with biologic		
CAS: 7664-39-3 hydrofl		
BGW (Germany) 7.0 mg		
Unters Prober	g Kreaunn uchungsmaterial: Urin nahmezeitpunkt: Expositionsende bzw. Schio eter: Fluorid	chtende
4.0 mg	g Kreatinin	
Unters	uchungsmaterial: Urin	
	nahmezeitpunkt: vor nachfolgender Schicht	
	eter: Fluorid	
• Additional information:	The lists valid during the making were used	as basis.
 Individual protection me General protective and h The usual precautionary Keep away from foodstuy Immediately remove all s Wash hands before break Store protective clothing Do not inhale gases / fun Avoid contact with the ey According to EC Directive Respiratory protection: Short term filter device: Combinationfilter ABEK In case of brief exposure use self-contained respiration Beware: Filter masks p 	measures are to be adhered to when handlin fs, beverages and feed. oiled and contaminated clothing s and at the end of work. separately. mes / aerosols. es and skin. the 89/686/EEC P3 or low pollution use respiratory filter device	g chemicals. e. In case of intensive or longer exposure ime only. They should only be used in
Protective	e gloves	
according to EN 374		

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III.

(Contd. on page 7)




Revision: 21.12.2022

Printing date: 21.12.2022

Version number 10 (replaces version 9)

Trade name: Titanium pickle W Titanbeize W



- · Upper:
- · Flash point:
- · Decomposition temperature:
- pH at 20°C (68°F)

Not determined. Not applicable. Not determined. 1

(Contd. on page 8)

GB

Printing date: 21.12.2022

Version number 10 (replaces version 9)



Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W

	(Contd. of page
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20°C (68°F):	1.16 g/cm ³ (9.68 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	nd
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Violent reactions with strong alkalis and oxidising agents.

When diluting, always add acid to water, never vice versa.

Reacts with acids, alkalis and oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 9)

⁻ GB

Printing date: 21.12.2022

Version number 10 (replaces version 9)



Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W

(Contd. of page 8)

• 10.6 Hazardous decomposition products:

Nitrogen oxides

Hydrogen fluoride Corrosive gases/vapours

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity

Toxic if swallowed or if inhaled. Fatal in contact with skin.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)		
Oral		>50 mg/kg
Dermal	LD50	>50 mg/kg
Inhalative	LC50/4 h	>2.73-3.53 mg/l

CAS: 7697-37-2 Salpetersäure < 64,9 %

Inhalative LC50/4 h 3 mg/l (ATE)

CAS: 7664-39-3 hydrofluoric acid		
Oral		5 mg/kg (ATE)
		5 mg/kg (ATE)
Inhalative	LC50/4 h	0.5 mg/l (ATE)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

• Serious eye damage/irritation Causes serious eye damage.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- *Aquatic toxicity:* No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 10)

GB

Page 10/13

Version number 10 (replaces version 9)

Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W


Printing date: 21.12.2022

(Contd. of page 9)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.


· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

• Recommended cleansing agents: Water, if necessary together with cleansing agents.





Printing date: 21.12.2022

Version number 10 (replaces version 9)

Revision: 21.12.2022

Trade name: Titanium pickle W Titanbeize W

	(Contd. of pag
Label	8/6.1
IATA	
Class Label	8 Corrosive substances. 8 (6.1)
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Corrosive substances. 86 F-A,S-B B SW2 Clear of living quarters.
<i>14.7 Maritime transport in bulk according to IM instruments</i>	<i>to</i> Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	24h emergency contact - (Dangerous goods emergency number)
	+49 172 739 6970
UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O (HYDROFLUORIC ACID, NITRIC ACID), 8 (6.1), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

(Contd. on page 12) GB



Revision: 21.12.2022

Printing date: 21.12.2022

Trade name: Titanium pickle W Titanbeize W Version number 10 (replaces version 9)

(Contd. of page 11)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

GADSL - Global Automotive Declarable Substance List

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category H1 ACUTE TOXIC
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for revise

<u>! These MSDS replaces all previous handed out versions !</u> If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

· Relevant phrases

- H290 May be corrosive to metals.
- H300 Fatal if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.

EUH071 Corrosive to the respiratory tract.

• Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

· Contact:

Herr Thomas Knuth thomas.knuth@heimerle-meule.com sds@heimerle-meule.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

- ICAO: International Civil Aviation Organisation
- AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

(Contd. on page 13)



Revision: 21.12.2022

Printing date: 21.12.2022

Version number 10 (replaces version 9)

Trade name: Titanium pickle W Titanbeize W

(Contd. of page 12) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 • * Data compared to the previous version altered.

GB -