

Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Ultra sonic cleaning conc. ULTRA CLEAN

Ultraschallreinigungsmittel ULTRA CLEAN

· Article number: 86940250

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not approved for private consumers.
- · Application of the substance / the mixture Ultrasonic cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Heimerle + Meule GmbH Dennigstrasse 16 D-75179 Pforzheim

Telefon +49 (0) 7231 940-0 Telefax +49 (0) 7231 940-2199 www.heimerle-meule.com

· Further information obtainable from:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment sds@heimerle-meule.com

IATA - 24h Emergency Contact - IATA - 24h Emergency Contact - (Dangerous goods emergency number) +49 172 739 6970

· 1.4 Emergency telephone number:

DEUTSCHLAND - GERMANY:

Vergiftungs-Informations-Zentrale Freiburg, ++49 761 19240 (24 h)

(Poisoning Information Center)

GREAT BRITAIN:

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111 - In Scotland: NHS 24 - dial 111

IRELAND

+353 1 809 2166 (7 Days 8 am -10 pm)

Healthcare Professionals: +353 1 809 2566

ITALY:

Istituto Superiore di Sanità (ISS) +3906499906140

Centro Antiveleni

Bergamo: +39 800 883300

Firenze +39 055 794 7819

Milano: +39 055 794 7819

Roma +39 06 68593726

Roma +39 06 49978000 Roma +39 06 3954343

KROATIA - REPUBLIKA HRVATSKA:

(+385) 01 2348 342

ESTLAND - ESTONIA:

Tervisemeti Mürgistusteabekeskuse

National (24/7): 16662

(+372) 7943 794

LETTLAND - LATVIA:

(Contd. on page 2)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 1)

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs,

(24h) 112

(24h) +371 67042473

LITAUEN - LIETUVOS RESPUBLIKA:

Poison Information Bureau (24/7), Tel.: +8 5 236 20 52

Apsinuodijimų informacijos biuras

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05

GHS06

- · Signal word Danger
- · Hazard-determining components of labelling:

2,2'-iminodiethylamine

morpholine

2-aminoethanol

AMIDES, C8-18 (EVEN NUMBERED) AND

C18-UNSATD., N,N-BIS(HYDROXYETHYL)

(Contd. on page 3)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 2)

· Hazard statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components / Info	· Dangerous components / Information on ingredients:		
CAS: 111-40-0	2,2'-iminodiethylamine; diethylenetriamine	≥10-≤25%	
EINECS: 203-865-4	Acute Tox. 2, H330		
	Skin Corr. 1B, H314; Eye Dam. 1, H318		
RTECS: IE 1225000	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; STOT SE 3, H335		
CAS: 110-91-8	morpholine	≥5-≤10%	
EINECS: 203-815-1	♦ Flam. Liq. 3, H226		
Index number: 613-028-00-9	Skin Corr. 1B, H314		
RTECS: QD 6475000	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332		
CAS: 141-43-5	2-aminoethanol; ethanolamine	≥5-≤10%	
EINECS: 205-483-3	♦ Skin Corr. 1B, H314		
Index number: 603-030-00-8	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332		
RTECS: KJ 5775000	Specific concentration limit: STOT SE 3; H335: $C \ge 5 \%$		
EC number: 931-329-6	AMIDES, C8-18 (EVEN NUMBERED) AND	10%	
	C18-UNSATD., N,N-BIS(HYDROXYETHYL)		
	Eye Dam. 1, H318		
	Áquatic Chronic 2, H411		
	Škin Irrit. 2, H315		
CAS: 111-42-2	2,2'-iminodiethanol; diethanolamine	≥1-≤2.5%	
EINECS: 203-868-0	♦ STOT RE 2, H373		
Index number: 603-071-00-1	Eye Dam. 1, H318		
RTECS: KL 2975000	♦ Acute Tox. 4, H302; Skin Irrit. 2, H315		

(Contd. on page 4)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 3)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Involve doctor immediately after a accident or unwell

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

A person vomiting while laying on their back should be turned onto their side.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded

- 5.3 Advice for firefighters
- Protective equipment:



Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Only handle and refill product in closed systems.

(Contd. on page 5)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 4)

· 6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

he usual precautionary measures are to be adhered to when handling chemicals.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings.

Observe official regulations on storing packagings.

Prevent any seepage into the ground.

· Information about storage in one common storage facility:

 \overline{D} o not store together with acids.

Store away from foodstuffs.

· Further information about storage conditions:

Keep container tightly sealed.



Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

- · Storage class: 6.1 B
- · 7.3 Specific end use(s) No further relevant information available.

- CD



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 5)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: CAS: 111-40-0 2,2'-iminodiethylamine		
WEL (Great Britain)	Long-term value: 4.3 mg/m³, 1 ppm Sk	
MAK (Germany)	vgl.Abschn.IV	
CAS: 110-91-8 morpholin	ie – – – – – – – – – – – – – – – – – – –	
WEL (Great Britain)	Short-term value: 72 mg/m³, 20 ppm Long-term value: 36 mg/m³, 10 ppm Sk	
IOELV (European Union)	Short-term value: 72 mg/m³, 20 ppm Long-term value: 36 mg/m³, 10 ppm	
AGW (Germany)	Long-term value: 18 mg/m³, 5 ppm 1(I);=2=;DFG, H, Y, 6	
CAS: 141-43-5 2-aminoet	hanol	
WEL (Great Britain)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk	
IOELV (European Union)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Skin	
AGW (Germany)	Long-term value: 0.5 mg/m³, 0.2 ppm 1(I);DFG, EU, H, Y, Sh, 11	
CAS: 111-42-2 2,2'-imino	diethanol	
AGW (Germany)	Long-term value: 0.5 mg/m³, 0.11 ppm 1(I);AGS, H, Sh, Y, 11, 6	

· Regulatory information

WEL (Great Britain): EH40/2020 MAK (Germany): MAK- und BAT-Liste IOELV (European Union): (EU) 2019/1831

AGW (Germany): TRGS 900

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

According to EC Directive 89/686/EEC

· Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 7)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 6)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Beware: Filter masks provide protection for a short period of time only. They should only be used in exceptional cases, that is if a small amount of the substance has spilled out or in order to fight spillages and fire.

according EN 14387 according to EN 143

- · Recommended filter device for short term use: Combination filter A-P3
- · Hand protection



Protective gloves

according to EN 374

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

Sensibilisation by the components in the glove materials is possible.

Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

· Material of gloves

PVC gloves

Nitrile rubber, NBR

Butyl rubber, BR

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 3).

Value for the permeation: Level ≤ 3

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

· Eye/face protection



Tightly sealed goggles

according to EN 166

· Body protection: Protective work clothing

CD.



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 7)

SECTION 9: Physical and chemical prop	perties
9.1 Information on basic physical and chemical p	ronerties
General Information	roperues
Physical state	Fluid
Colour:	Brown
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	Onueler mineu.
	Undetermined.
range Flammability	Not applicable.
	ної аррисавіе.
Lower and upper explosion limit	Not determined.
Lower:	
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20°C (68°F)	11.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20°C (68°F):	1.05 g/cm³ (8.76 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	VOC: <3%
Appearance:	
Form:	Fluid
Important information on protection of health and	d
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	-
Organic solvents:	2.5–12.5 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	28
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	void Void
· ·	void Void
Pyrophoric liquids	
Pyrophoric solids Self-harding substances and mintures	Void
Self-heating substances and mixtures Substances and mixtures, which emit flammable	Void

(Contd. on page 9)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

		(Contd. of page 8
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Toxic if inhaled.

· LD/LC50	· LD/LC50 values relevant for classification:		
ATE (Acua	ATE (Acute Toxicity Estimates)		
Oral	LD50	2,237–6,719 mg/kg	
Dermal	LD50	2,379–7,170 mg/kg	
Inhalative	LC50/4 h	$1.93-4.89 \ mg/l$	
CAS: 111-	CAS: 111-40-0 2,2'-iminodiethylamine		
Oral	LD50	1,080 mg/kg (rat)	
Dermal	LD50	1,090 mg/kg (rbt)	
Inhalative	LC50/4 h	0.5 mg/l (ATE)	
CAS: 110-	CAS: 110-91-8 morpholine		
Oral	LD50	500 mg/kg (ATE)	
Dermal	LD50	1,100 mg/kg (ATE)	
Inhalative	LC50/4 h	11 mg/l (ATE)	
CAS: 141-	CAS: 141-43-5 2-aminoethanol		
Oral	LD50	2,050 mg/kg (rat)	
Dermal	LD50	1,000 mg/kg (rbt)	
Inhalative	LC50/4 h	11 mg/l (ATE)	
CAS: 111-	CAS: 111-42-2 2,2'-iminodiethanol		
Oral	LD50	1,600 mg/kg (rat)	
Dermal	LD50	12,200 mg/kg (rbt)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.

(Contd. on page 10)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 9)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Not easily biodegradable
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:


Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation





Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

· Waste disposal key:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packaging which is uncleaned or soiled with product remains is to be treated like the product itself Packaging free of product remains is to be supplied refuse for recycling. Only if no adequate collecting system is available, they may be disposed of through the domestic rubbish

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

Heimerle + Meule

Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 10)

14.1 UN number or ID number ADR, IMDG, IATA	UN2927
14.2 UN proper shipping name ADR	UN2927 TOXIC LIQUID, CORROSIVE, ORGAN N.O.S. (MORPHOLINE, DIETHYLENETRIAMINE)
IMDG, IATA	TOXIC LIQUID, CORROSIVE, ORGANIC, N.C. (MORPHOLINE, DIETHYLENETRIAMINE)
14.3 Transport hazard class(es)	
ADR	
Class Label	6.1 Toxic substances. 6.1+8
IMDG	
Class Label	6.1 Toxic substances. 6.1/8
	0.1/0
IATA Class	6.1 Toxic substances.
Label	6.1 (8)
14.4 Packing group	II
ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Toxic substances.
Hazard identification number (Kemler code): EMS Number:	68 F-A,S-B
EMS Number: Stowage Category	r-A,S-B В
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN Ultraschallreinigungsmittel ULTRA CLEAN

	(Contd. of page 1
Transport/Additional information:	
ADR	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
IMDG	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
IATA	
Remarks:	
	24h emergency contact -
	(Dangerous goods emergency number)
	+49 172 739 6970
UN "Model Regulation":	UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIC
	N.O.S. (MORPHOLINE, DIETHYLENETRIAMINE), 6.
	(8), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC)

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

· GADSL - Global Automotive Declarable Substance List		
CAS: 110-91-8	morpholine	D(FI)
CAS: 111-42-2	2,2'-iminodiethanol	D(FI)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category H2 ACUTE TOXIC
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	12.5

- · Waterhazard class: .
- · Other regulations, limitations and prohibitive regulations -

(Contd. on page 13)



Printing date: 15.12.2022 Version number 11 (replaces version 10) Revision: 15.12.2022

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN
Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 12)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for revise

If necessary, this saftey data sheet can revised according to legal guidelines.

Our current version for your reference is available on our website www.heimerle-meule.com

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS:

Abteilung BASU - Bau/Arbeitssicherheit/Umwelt Department BASU - Construction / Occupational Safety / Environment

sds@heimerle-meule.com

· Contact:

Herr Thomas Knuth

thomas.knuth@heimerle-meule.com

sds@heimerle-meule.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

AwSV: Ordinance on facilities for handling water-polluting substances (German regulation).

TRGS: Technical rules for hazardous substances (German regulation)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

 $Flam.\ Liq.\ 3:\ Flammable\ liquids-Category\ 3$

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 14)



Revision: 15.12.2022 Printing date: 15.12.2022 Version number 11 (replaces version 10)

Trade name: Ultra sonic cleaning conc. ULTRA CLEAN Ultraschallreinigungsmittel ULTRA CLEAN

(Contd. of page 13)

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.